

INDEX OF FUNGI

PUBLISHED SINCE THE BEGINNING OF 1940

Formerly issued as Supplements to the Review of Applied Mycology

VOL. II

PART 4

1952

- Aecidium abietis-mariesii* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 115, 1950 on *Abies mariesii*.—Japan.
- charantiae* Mayor & Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 130, 1951 on *Momordica charantia*.—Ivory Coast.
- hibisci-surattensis* Mayor & Viennot-Bourgin [as *hibisci-surrattensis*] in *Bull. Soc. mycol. Fr.*, 67, p. 131, 1951 on *Hibiscus surattensis*.—Ivory Coast.
- tsugae* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 138, 1950 on *Tsuga diversifolia*.—Japan.
- tylophorae* Mayor & Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 132, 1951 on *Tylophora oculata*.—Ivory Coast.
- Albugo mangelnoti* Mayor & Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 67, p. 115, 1951 on *Mollugo nudicaulis*.—Ivory Coast.
- Aleurisma brasiliense* (Splendore) Neves & Bogliolo in *Mycopathologia*, 5, p. 140, 1951. (Syn. *Zymonema brasiliense* Splendore).
- Aleurodiscus digitalis* (Alb. & Schw. ex Fr.) Donk in *Reinwardtia*, 1, p. 210, 1951. (Syn. *Cyphella digitalis* Alb. & Schw. ex Fr.).
- Amauroderma argenteofulvum* (van der Byl) Doidge in *Bothalia*, 5, p. 503, 1950. (Syn. *Polyporus argenteofulvus* van der Byl).
- juxtarugosum* (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 100, 1943. (Syn. *Polyporus juxtarugosus* Lloyd).
- omphalodes* (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 100, 1943. (Syn. *Polyporus omphalodes* Berk.).
- rugosum* (Blume & Nees) Doidge (? nov. comb.) in *Bothalia*, 5, p. 503, 1950. (Syn. *Ganoderma rugosum* (Bl. & Nees) Bres.).
- Amphichaeta cephalotaxi* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 118, 1950 on *Cephalotaxus nana*.—Japan.
- hispanica* Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 498, 1948 on *Cistus populifolius*.—Spain.
- Asposphaeria pini-densiflorae* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 134, 1950 on *Pinus densiflora*.—Japan.
- Arthrobotryum gorgoneum* Ciferri in *Mycopathologia*, 6, p. 24, 1951 on *Meliola (Irenina) vilis*.—Java.
- Ascochyta aleuritidis* Saccas & Drouillon in *Agron. Trop.*, 6, p. 242, 1951 on dead *Aleurites fordii*.—French Equatorial Africa.
- infortunata* Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, 34, p. 163, 1951 on *Clerodendron infortunatum*.—India.
- Ascochyta ampelopsidis* (Hollós) Sarejanii & Démetriades in *Ann. Inst. phytopath. Benaki*, 5, p. 8, 1951. [Syn. not cited].
- **Asellaria scutigeræ* Manier in *Ann. Sci. nat., Bot., Sér. XI*, 11, p. 132, 1951 on *Scutigera coleoptrata*.—France.
- **Aspergillus glaucus* var. *tonophilus* Oh-tsuki, Suda, & Sai in *Misc. Rep. Res. Inst. nat. Resour., Tokyo*, 17-18, p. 76, 1950 on glass. —Japan.
- kanagawaensis* Nehira in *J. Jap. Bot.*, 26, p. 109, 1951 from soil. —Japan.
- Asterina coelocaryi* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 43, 1945 on *Coelocaryon kleinei*.—Belgian Congo.
- pandae* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 44, 1945 on *Panda oleosa*.—Belgian Congo.
- pandicola* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 45, 1945 on *Panda oleosa*.—Belgian Congo.
- pterygopodii* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 46, 1945 on *Pterygopodium*.—Belgian Congo.
- solanicoloides* Rehm var. *atypica* Batista in *Mycopathologia*, 5, p. 169, 1951 on *Moquilea tomentosa*.—Brazil.
- xymalodica* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 47, 1945 on *Xymalos*.—Belgian Congo.
- xymalodis* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 48, 1945 on *Xymalos*.—Belgian Congo.
- ASTEROMELLOPSIS* Hess & Müller in *Ber. schweiz. bot. Ges.*, 61, p. 18, 1951. —Sphaeropsidales.
- insculpta* Hess & Müller in *Ber. schweiz. bot. Ges.*, 61, p. 18, 1951 on *Clematis vitalba*; state of *Dothidella insculpta* (Wallr.) Theiss. & Syd.—Switzerland.
- Auerswaldia excoriata* C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 48, 1951 on *Coffea liberica*.—Ivory Coast.
- Balladyna parva* C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 38, 1951 on *Coffea liberica*.—Ivory Coast.
- Beltrania africana* Hughes in *Mycol. Pap., C.M.I.*, 47, p. 4, 1951 on dead *Averrhoa carambola*.—Gold Coast.
- Boletus pulverulentus* Opat. forma *reticulatus* Snell, Dick, & Hesler in *Mycologia*, 43, p. 362, 1951. —Tennessee, U.S.A.
- Botryodiplodia vitis* da Camara in *Agron. lusit.*, 12, p. 111, 1950 on *Vitis vinifera*.—Portugal.
- Botryotinia pelargonii* Reed in *Blyttia*, 7, p. 77, 1949 on *Pelargonium*.—Norway.
- Imperfect state, *Botrytis pelargonii* Røed, l.c.
- ricini* (Godfrey) Whetzel (This Index, 1, p. 146) precedes Buchwald's comb. (*ibid.*, 1, p. 277).
- Calospora ? pini-thunbergii* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 136, 1950 on *Pinus thunbergii*.—Japan.

- Camarosporium sarothamni** da Camara in *Agron. lusit.*, 12, p. 114, 1950 on *Cytisus pendulinus* var. *ericarpus*.—Portugal.
- Campanella floridana** Singer in *Lloydia*, 13, p. 249, 1951 on dead *Magnolia grandiflora*.—Florida, U.S.A.
- Campoa thujopsidis** Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 140, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- Camptomeris acaciae** (Syd.) Ciferri in *Mycopathologia*, 6, p. 25, 1951. (Syn. *Septogloeum acaciae* Sydow).
- **robiniae** (Shear) Ciferri in *Mycopathologia*, 6, p. 25, 1951. (Syn. *Fusicladium robiniae* Shear).
- CANDELABRUM** van Beverwijk in *Antonie van Leeuwenhoek J. Microbiol. Serol.*, 17, p. 11, 1951.—Moniliales.
- **spinulosum** van Beverwijk in *Antonie van Leeuwenhoek J. Microbiol. Serol.*, 17, p. 11, 1951 on decaying leaves in water.—Netherlands.
- Cenangium pini** Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 131, 1950 on *Pinus densiflora*.—Japan.
- Cephalosporium apii** Smith & Ramsey in *Bot. Gaz.*, 112, p. 399, 1951 on *Apium graveolens*.—Colorado, U.S.A.
- **falciforme** Carrión in *Mycologia*, 43, p. 523, 1951 on man.—Puerto Rico.
- CERATOSPERMOPSIS** Batista in *Mycopathologia*, 5, p. 165, 1951.—Melioliales.
- **cupaniae** Batista in *Mycopathologia*, 5, p. 166, 1951 on *Cupania*.—Brazil.
- **xylopieae** Batista in *Mycopathologia*, 5, p. 166, 1951 on *Xylopia frutescens*.—Brazil.
- Ceratopodium rilstonii** Hughes in *Mycol. Pap.*, C.M.I., 39, p. 9, 1951 on dead *Ribes grossularia*.—England.
- Ceratostoma plectotheca** Munk in *Dansk bot. Ark.*, 12, 11, p. 12, 1948 on wood.—Denmark.
- Cercoseptoria sapindophila** (Speg.) Ciferri in *Mycopathologia*, 6, p. 26, 1951. (Syn. *Fusarium sapindophilum* Speg.).
- Cercospora cephalariae** Rayss in *Palest. J. Bot.*, J. Ser., 5, p. 24, 1950 on *Cephalaria joppica*.—Palestine.
- **chamaecyparidis** Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 122, 1950 on *Chamaecyparis obtusa*.—Japan.
- **narthecii** F. L. Balfour-Browne in *Trans. bot. Soc. Edinb.*, 35, p. 434, 1951 on *Narthecium ossifragum*.—Scotland.
- **psoraleae** Petrak (This Index, 2, p. 16). See also *C. psoraleae* Ray, 1941 (*ibid.*, 1, p. 66).
- **pulchella** Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 34, p. 163, 1951 on *Indigofera pulchella*.—India.
- **scopariae** Lacy & Thirumalachar in *Sydowia*, 5, p. 127, 1951 on *Scoparia dulcis*.—India.
- **tremae** (Stev. & Solh.) Chupp in Chardon & Toro, *Mycol. Explorat. Venezuela*, p. 253, 1934. (This antedates the entry in this Index, 2, p. 2).
- Cercospora acahyphae** Lacy & Thirumalachar in *Sydowia*, 5, p. 127, 1951 on *Acalypha indica*.—India.
- Ceriospora caudae-suis** Ingold in *Trans. Brit. mycol. Soc.*, 34, p. 210, 1951 on submerged *Fraxinus*.—England.
- Chaetomeris hemisphaerica** Batista in *Mycopathologia*, 5, p. 154, 1951 on *Polyscias wufoylei*.—Brazil. [*Chaetomeris* Clem. is an obligate syn. of *Treubiumyces* Höhn.].
- CHAETONAEVIA** von Arx in *Antonie van Leeuwenhoek J. Microbiol. Serol.*, 17, p. 85, 1951.—Discomycetes.
- **nannfeldtii** von Arx in *Antonie van Leeuwenhoek J. Microbiol. Serol.*, 17, p. 86, 1951 on *Arctostaphylos alpina*.—Sweden.
- CHAETOPOTIUS** Batista in *Mycopathologia*, 5, p. 151, 1951.—Capnodiaceae.
- **commistum** Batista in *Mycopathologia*, 5, p. 152, 1951 on *Clidemia hirta*.—Brazil.
- Chaetothyrium capense** (Doidge) Hansford apud Doidge in *Bothalia*, 5, p. 192, 1950. (Syn. *Aithaloderma capense* Doidge).
- Chaetotrichum lantanae** Petrak nom. nov. in *Sydowia*, 5, p. 38, 1951. (Syn. *Cladosporium trichophilum* Petr. & Cif. non *Chaetotrichum trichophilum* (Stev.) Petrak).
- **latisporum** Petrak in *Sydowia*, 5, p. 34, 1951 on *Liabum bipinnatifidum*.—Ecuador.
- **liabicola** Petrak in *Sydowia*, 5, p. 35, 1951 on *Liabum arsalaguense*.—Ecuador.
- **pannosum** Petrak in *Sydowia*, 5, p. 37, 1951 on *Siphocampylus campanulatus*.—Ecuador.
- **pulchrum** Petrak in *Sydowia*, 5, p. 32, 1951 on *Liabum pichinchense*.—Ecuador.
- **rufidulum** Petrak in *Sydowia*, 5, p. 33, 1951 on *Liabum*.—Ecuador.
- **solani-torvi** (Frag. & Cif.) Petrak in *Sydowia*, 5, p. 38, 1951. (Syn. *Cercospora solani-torvi* Frag. & Cif.).
- **sydowii** Petrak in *Sydowia*, 5, p. 31, 1951 on *Liabum pallatangense*.—Ecuador.
- **trichophilum** (Stev.) Petrak in *Sydowia*, 5, p. 38, 1951. (Syn. *Cercospora trichophila* Stev.).
- Chalcosphaeria oyedae** (Syd.) Ciferri in *Mycopathologia*, 6, p. 27, 1951. (Syn. *Phyllosticta oyedae* Syd.).
- Chondropodium molinae** da Camara in *Agron. lusit.*, 21, p. 113, 1950 on *Molinia caerulea*.—Portugal.
- Cintractia calderi** Savile in *Canad. J. Bot.*, 29, p. 324, 1951 on *Carex backii*.—Manitoba, Canada.
- **leucoderma** (Berk.) P. Henn. var. *striata* (Clint. & Zundel) Ling in *Mycologia*, 43, p. 312, 1951. (Syn. *Cintractia striata* Clint. & Zundel).
- **scleriae** (DC.) Ling in *Mycologia*, 43, p. 314, 1951. (Syn. *Uredo scleriae* DC.).
- Cladosporium lysimachiae** Greene (This Index, 2, p. 2). See also *C. lysimachiae* Guba, *Rhodora*, 41, p. 513, 1939.
- CLATHROSPHAERINA** van Beverwijk in *Trans. Brit. mycol. Soc.*, 34, p. 289, 1951.—Moniliales.
- **zalewskii** van Beverwijk in *Trans. Brit. mycol. Soc.*, 34, p. 289, 1951 on decaying plant material in water.—Netherlands.
- Clavaria leucoporphyrina** Singer in *Collect. Bot.*, 1, p. 205, 1947.—Spain.
- **xanthoporphyrina** Singer in *Collect. Bot.*, 1, p. 205, 1947.—Spain.
- Clitocybe catalaunica** Singer in *Collect. Bot.*, 1, p. 242, 1947.—Spain.
- **geotropa** (Bull.) Fr. var. *minor* Singer in *Collect. Bot.*, 1, p. 221, 1947.—Spain.
- **monticola** Singer in *Collect. Bot.*, 1, p. 221, 1947.—Spain.
- Clypeolella dalhousieae** Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 50, 1945 on *Dalhousiea*.—Belgian Congo.
- Cochliobolus boutelouae** Sprague in *Mycologia*, 43, p. 550, 1951 on *Bouteloua gracilis*.—New Mexico, U.S.A.

- *sporoboli* E. Castellani in *Mycopathologia*, 6, p. 56, 1951 on *Sporobolus affinis* and *S. ruspaliensis*.—East Africa.
- Colletesporium barclayense* Bagchee in *Indian For. Rec. Bot.*, 4, p. 53, 1950 on *Senecio rufinervis*.—India.
- Colletotrichum corni* (Woronich.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 239, 1950. (Syn. *Gloeosporium corni* Woronichin).
- *fructigenum* (Berk.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 296, 1950. (Syn. *Gloeosporium fructigenum* Berk.).
- * — *gloeosporioides* Penz. var. *aleuritidis* Saccas & Drouillon in *Agric. Trop.*, 6, p. 249, 1951 on *Aleurites fordii* and *A. montana*.—French Equatorial Africa.
- *kruegerianum* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 321, 1950. (Syn. *Gloeosporium lycopersici* F. Krüger, non *C. lycopersici* Chester).
- Collybia dryophila* (Bull.) Fr. var. *oedipoides* Singer in *Collect. Bot.*, 1, p. 223, 1947. —Spain.
- Coltricia dependens* (Berk. & Curt.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 109, 1943. (Syn. *Polyporus dependens* Berk. & Curt. See this *Index*, 1, p. 259 for the later comb. by Cunningham).
- *greenii* (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 109, 1943. (Syn. *Cyclomyces greenii* Berk.).
- Coniochaeta pulveracea* (Ehrh.) Munk in *Dansk bot. Ark.*, 12, 11, p. 9, 1948. (Syn. *Rosellinia pulveracea* (Ehrh. ex Fr.) Fuckel).
- *velutina* (Fuckel) Munk in *Dansk bot. Ark.*, 12, 11, p. 9, 1948. (Syn. *Rosellinia velutina* Fuckel). [Comb. made by Cooke, 1887].
- Conocybe kuehneri* Singer nom. nov. in *Collect. Bot.*, 1, p. 236, 1947. (Syn. *C. sili-ginea* Kühner, non Bres.).
- Coprinus atramentarius* var. *acuminatus* Romagnesi in *Rev. Mycologie*, N.S., 16, p. 127, 1951. —France.
- *pyrrhanthes* Romagnesi in *Rev. Mycologie*, N.S., 16, p. 128, 1951. —France.
- *radicans* Romagnesi in *Rev. Mycologie*, N.S., 16, p. 127, 1951. —France.
- *spilosporus* Romagnesi in *Rev. Mycologie*, N.S., 16, p. 127, 1951. —France.
- Cordyceps aurantiaca* (Plowr. & Wilson) Oort in *Tijdschr. Plziekt.*, 52, p. 82, 1946. [of *C. aurantiaca* (Plowr. & Wilson) Imai, this *Index*, 2, p. 2 and also *C. aurantiaca* Lohwag apud Keissler, *Sinicae symbolae*, 2, p. 27, 1937].
- *furcata* Moreau (This *Index*, 1, p. 278). See also *C. furcata* McLennan & Cookson, *Proc. R.Soc. Victoria*, 35, p. 157, 1923.
- Coriolius consors* (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 80, 1943. (Syn. *Irpez consors* Berk.).
- *neaniscus* (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 80, 1943. (Syn. *Polyporus neaniscus* Berk.).
- *polygonus* (Pers. ex Quél.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 80, 1943. (Syn. *Polystictus polygonus* Pers. ex Quél.).
- Cortinarius immissus* Schlapfer in *Schweiz. Z. Pilzk. Bern*, 29, p. 202, 1951. —Switzerland.
- Coryneopsis cisticola* Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 497, 1948 on *Cistus populifolius*. —Spain.
- Coryneum pirinum* da Camara in *Agron. lusit.*, 12, p. 118, 1950 on *Pyrus communis* subsp. *pyraster*. —Portugal.
- CRYPTODERMA** Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 106, 1943. —Polyporaceae. Type, *C. ribis*.
- *citrinum* Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943 on wood. —Japan.
- *dependens* (Murr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Fomes dependens* Murr.).
- *endothium* (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Fomes endothium* (Berk.) Sacc.).
- *fastuosum* (Lév.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Fomes fastuosus* (Lév.) Cooke).
- *kanehirae* (Yasuda) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Polyporus kanehirae* Yasuda).
- *lamaense* (Murr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Pyropolyporus lamaensis* Murr.).
- *lonicerinum* (Bond.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Fomes lonicerinus* Bond.).
- *mcgregorii* (Bres.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Fomes mcgregorii* Bres.).
- *pini* (Thore ex Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. [Syn. *Trametes pini* (Thore ex Fr.) Fr.].
- *pullum* (Mont.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. [Syn. *Polyporus pullus* Mont. & Berk.].
- *pustillum* (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Fomes pustillus* Lloyd).
- *ribis* (Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Polyporus ribis* Schum. ex Fr.).
- *substygium* (Berk. & Curt.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Polyporus substygium* Berk. & Curt.).
- *yezoense* (Tochinai & Kamei) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 107, 1943. (Syn. *Fomes yezoensis* Toch. & Kamei).
- Cryptostictella reynoutria* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 127, 1950 on *Larix kaempferi* and *Reynoutria japonica* var. *typica*. —Japan.
- CUPHOCYBE** Heim in *Rev. Mycologie*, N.S. 16, p. 8, 1951. —Agaricaceae.
- *alborosea* Heim in *Rev. Mycologie*, N.S., 16, p. 8, 1951. —New Zealand.
- *olivacea* Heim in *Rev. Mycologie*, N.S., 16, p. 8, 1951. —New Zealand.
- Curvularia oryzae* Bugnicourt in *Rev. gén. Bot.*, 57, p. 69, 1950 on *Oryza sativa*. —Indo-China.
- *stapeliae* (du Plessis) Hughes & du Plessis apud Hughes in *Mycol. Pap., C.M.I.*, 46, p. 28, 1951. (Syn. *Triposporium stapeliae* du Plessis).
- *uncinata* Bugnicourt in *Rev. gén. Bot.*, 57, p. 72, 1950 on *Oryza sativa*. —Indo-China.
- Cylindrosporium albanicum* (Petr.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 519, 1950. (Syn. *Phleospora albanica* Petrak.).
- *basiplanum* Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 596, 1950 on *Spiraea hypericifolia*. —U.S.S.R.
- *canadense* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 560, 1950. (Syn. *Phleospora dearnessii* Bub., non *C. dearnessii* Ell. & Ev.).
- *carpogenum* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 571, 1950. (Syn.

- Marssonina pruni* Vassiljevsky, non *C. pruni* (Syd.) Diedl.).
- *convolvulicola* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 519, 1950. (Syn. *Septogloeum convolvuli* Ell. & Ev., non *C. convolvuli* Miura).
 - *defolians* (Harkness) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 525, 1950. (Syn. *Septogloeum defolians* Harkness).
 - *eryngiicola* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 584, 1950. (Syn. *Septoria eryngii* West., non *C. eryngii* Ell. & Kell.).
 - *excipuliforme* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 537, 1950. (Syn. *Septogloeum lathyri* Lind, non *C. lathyri* Bub. & Kab.).
 - *fragariae* (Br. & Har.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 564, 1950. (Syn. *Stagonospora fragariae* Br. & Har.).
 - *frigidum* (Sacc.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 515, 1950. (Syn. *Gloeosporium frigidum* Sacc.).
 - *fusarioides* (Sacc.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 532, 1950. (Syn. *Phleospora fusarioides* Sacc.).
 - *garbowskii* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 511, 1950. (Syn. *Septogloeum pistaciae* Garb., non *C. pistaciae* (Desm.) Vassilj.).
 - *pistaciae* (Desm.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 510, 1950. (Syn. *Septoria pistaciae* Desm.).
 - *platanoidis* Kab. & Bub. var. *polymorphum* Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 596, 1950 on *Acer tataricum*.—U.S.S.R.
 - *pomicola* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 563, 1950. (Syn. *Septogloeum pomi* Oudem., non *C. pomi* Brooks).
 - *populinum* (Peck) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 575, 1950. (Syn. *Gloeosporium populinum* Peck).
 - *potebniae* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 535, 1950. (Syn. *Phleospora caraganae* Jacz. var. *lathyri* Poteb., non *C. lathyri* Bub. & Kab.).
 - *propinquum* (Bub. & Vleug.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 578, 1950. (Syn. *Gloeosporium propinquum* Bub. & Vleug.).
 - *pruinosa* (Zaprometov) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 577, 1950. (Syn. *Marssonina pruinosa* Zaprometov).
 - *subcuticulare* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 547, 1950. (Syn. *Septogloeum fraxini* Harkn., non *C. fraxini* (Ell. & Kell.) Ell. & Ev.).
 - *thalictrica* Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 557, 1950. (Syn. *C. ranunculii* (Bon.) Sacc. f. *thalictri* Ell. & Ev., non *C. thalictri* Dmitr.).
 - *tremulae* (Hoehn.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 576, 1950. (Syn. *Septogloeum tremulae* Hoehn.).
 - *ulmi* (Fr.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 580, 1950. (Syn. *Septoria ulmi* F.).
 - *vagnerae* (Petr.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 540, 1950. (Syn. *Phleospora vagnerae* Petr.).
- Cytospora chamaecyparidis* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 121, 1950 on *Chamaecyparis pisifera*.—Japan.
- Dactylaria gracilis* Duddington in *Trans. Brit. mycol. Soc.*, 34, p. 194, 1951 on nematodes.—England.
- Daedaleopsis conchiformis* Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 77, 1943 on wood.—Japan.
- *nipponica* Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 78, 1943 on wood.—Japan.
 - *papyraceo-resupinata* (S. Ito & Imai) Imazeki in *Bull. Tokyo Sci. Mus.*, 6, p. 78, 1943. (Syn. *Hexagona papyraceo-resupinata* Ito & Imai).
 - *styracina* (P. Henn. & Shir.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 78, 1943. (Syn. *Lenzites styracina* P. Henn. & Shir.).
 - *tenuis* (Hook. ex Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 78, 1943. (Syn. *Hexagona tenuis* Hook. ex Fr.).
- Delitschia proboscidea* Munk in *Dansk bot. Ark.*, 12, 11, p. 4, 1948 on dung.—Denmark.
- Dendrophoma abietis* Sawada in *Rep. For. Exp. Sta., Tokyo.*, 46, p. 114, 1950 on *Abies firma*.—Japan.
- DENDROSEPTORIA** Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 489, 1948.—Sphaeropsidales.
- *arrhenatheri* Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 489, 1948 on *Arrhenatherum elatius*.—Spain.
- Dictyopeltis applanata* Batista in *Mycopathologia*, 5, p. 170, 1951 on *Achras sapota*.—Brazil.
- *myricae* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 51, 1945 on *Myrica*.—Belgian Congo.
- Didymellina intermedia* Ciferri in *Not. Mal. Piante*, 2, p. 6, 1949 on *Lilium candidum*.—Italy.
- DIDYMOPSOURELLA** Thirumalachar in *Sydowia*, 5, p. 28, 1951.—Uredinales. Type, *D. toddaliae*.
- *macrospora* (Mundkur & Thirum.) Thirumalachar in *Sydowia*, 5, p. 28, 1951. (Syn. *Didymopora macrospora* Mundkur & Thirum.).
 - *toddaliae* (Petch) Thirumalachar in *Sydowia*, 5, p. 28, 1951. (Syn. *Uredo toddaliae* Petch).
- Didymosphaeria armeriae* da Camara, 1946, (*This Index*, 1, p. 260). See also **D. armeriae* Losa España, 1945 (ibid., 1, p. 149).
- *epidermidis* (Fr.) Fuckel var. *ulicis* da Camara in *Agron. lusit.*, 12, p. 97, 1950 on *Ulex minor*.—Portugal.
- Dimeriellopsis araliae* Batista in *Mycopathologia*, 5, p. 163, 1951 on *Polyscias guifolies*.—Brazil.
- Dimerium abietis-mariesii* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 114, 1950 on *Abies mariesii*.—Japan.
- Diplodia arctii* Cherepanov in *J. Bot. U.S.S.R.*, 36, p. 274, 1951 on *Arctium minus*.—U.S.S.R.
- *chenopodii* Cherepanov in *J. Bot. U.S.S.R.*, 36, p. 274, 1951 on *Chenopodium album*.—U.S.S.R.
- Diplorhynchotrichum africanum* Hughes in *Mycol. Pap., C.M.I.*, 47, p. 9, 1951 on *Azadirachta indica*.—Gold Coast.
- Doassansia morotiana** Zundel nom. nov. in *Mycologia*, 43, p. 269, 1951. (Syn. *D. intermedia* Morot non Setch.).
- Dothiorella genistae* da Camara in *Agron. lusit.*, 12, p. 105, 1950 on *Pterospartum tridentatum*.—Portugal.

- Eccilia sericella* (Fr.) Singer in *Collect. Bot.*, 1, p. 218, 1947. (Syn. *Agaricus sericellus* Fr.).
 — *undata* (F.) Quel. var. *ombrophila* Singer in *Collect. Bot.*, 1, p. 219, 1947.—Spain.
- Elfvigia tsunodae* (Yasuda ex Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 102, 1943. (Syn. *Polyporus tsunodae* Yasuda ex Lloyd).
- Endomycopsis ohmeri* Etchells & Bell in *Food Technology*, 4, p. 81, 1950 in cucumber brine.—U.S.A.
 — var. *minor* Etchells & Bell in *Food Technology*, 4, p. 81, 1950 in cucumber brine.—U.S.A.
- Endostigme populina* (Vuill.) Ciferri in *Not. Mal. Piante*, 14, p. 88, 1951. (Syn. *Didymosphaeria populina* Vuill.).
- **Enterobryus dubosqui* Tuzet & Manier apud Manier in *Ann. Sci. nat., Bot.*, Sér. XI, 11, p. 65, 1951 on *Schizophyllum sabulosum* var. *rubripes*.—France.
- *—*leptoiuli* Manier in *Ann. Sci. nat., Bot.*, Sér. XI, 11, p. 71, 1951 on *Leptoiulus belgicus*.—France.
- Entoloma pyrenaicum* Singer in *Collect. Bot.*, 1, p. 219, 1947.—Spain.
 — *subnitidum* forma *cyano-nigrum* Hongo in *J. Jap. Bot.*, 26, p. 145, 1951.—Japan.
- Entosordaria jacobii-felicis* C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 48, 1951 on *Coffea liberica*.—Ivory Coast.
- **Epidochium ilicinum* Goidànich & Camici in *Ann. Sper. agr., N.S.*, 1, p. 528, 1947 on *Quercus ilex*.—Italy.
- Eremotheca congensis* Hansford in *Rec. Inst. nat. Etud. agron. Congo belge* 2, p. 49, 1945 on *Rhektophyllum mirabile*.—Belgian Congo.
- Eudarlucia indica* Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, 34, p. 158, 1951 on *Uredo amomi*.—India.
- Eutypa eutypoides* (Ell. & Ev.) Petrak in *Sydowia*, 5, p. 177, 1951. (Syn. *Bagnisiella eutypoides* Ell. & Ev.).
 — *microspora* C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 65, 1951 on dead *Coffea canephora*.—Ivory Coast.
 — *nervicola* (Rehm) Petrak in *Sydowia*, 5, p. 177, 1951. (Syn. *Nitschkia nervicola* Rehm apud Fitzp.).
- Eutypella coffeicola* C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. 1, p. 59, 1951 on *Coffea canephora* and *C. liberica*.—Ivory Coast.
 — *perplexans* C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 64, 1951 on dead *Coffea canephora*.—Ivory Coast.
- Favolaschia echinata* Singer in *Lloydia*, 13, p. 253, 1951 on dead ?*Boehmeria caudata*.—Argentina.
 — *flava* (Bres.) Singer in *Lloydia*, 13, p. 257, 1951. (Syn. *Laschia flava* Bres.).
 — *pterigena* Singer in *Lloydia*, 13, p. 255, 1951 on dead pteridophytes.—Argentina.
 — *puiggarii* (Speg.) Singer in *Lloydia*, 13, p. 253, 1951. (Syn. *Favolus puiggarii* Speg.).
 — *pygmaea* (Speg.) Singer in *Lloydia*, 13, p. 254, 1951. (Syn. *Favolus pygmaeus* Speg.).
- Favolus emericii* (Cooke) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 95, 1943. (Syn. *Polyporus emericii* Cooke).
 — *grammocephalus* (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 95, 1943. (Syn. *Polyporus grammocephalus* Berk.).
 — *hirtus* (Quél.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 95, 1943. (Syn. *Polyporus hirtus* Quél.).
- *mikawai* (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 95, 1943. (Syn. *Polyporus mikawai* Lloyd).
 — *rhipidium* Berk. 'var. *pusillus* Imazeki comb. nov.' in *Bull. Tokyo Sci. Mus.* 6, p. 95, 1943. [Syn. not cited].
- Fayodia bisphaerica* (Lge.) var. *grisea* Singer in *Collect. Bot.*, 1, p. 243, 1947.—Spain.
- FLAGELLOSCYPHA** Donk apud Singer in *Lilloa*, 22, p. 312, 1951.—Tricholomataceae.
 — *minutissima* (Burt) Donk apud Singer in *Lilloa*, 22, p. 312, 1951. (Syn. *Cyphella minutissima* Burt).
- Fomitopsis carnea* (Nees) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. [Syn. *Trametes carnea* Nees ex Corda].
 — *cinerea* (Torr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. (Syn. *Fomes cinereus* Torr.).
 — *connata* (Fr.) Cunn. (This Index, 2, p. 21). See also *F. connata* (Weinm.) Karst., 1881.
 — *corrugata* (Pers. ex Cooke) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. (Syn. *Polyporus corrugatus* Pers.).
 — *komatsuzakii* (Yasuda) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. (Syn. *Polyporus komatsuzakii* Yasuda).
 — *ochroleuca* (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. (Syn. *Polyporus ochroleucus* Berk.).
 — *olivacea* (Yasuda) Imazeki & Aoshima apud Aoshima in *Ann. phytopath. Soc., Japan*, 15, p. 9, 1950. (Syn. *Fomes olivaceus* Yasuda).
 — *pubertatis* (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. (Syn. *Polyporus pubertatis* Lloyd).
 — *rhodophaea* (Lév.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. (Syn. *Polyporus rhodophaeus* Lév.).
 — *subungulata* (Murr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. (Syn. *Fomes subungulatus* Murr.).
 — *zonalis* (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 92, 1943. (Syn. *Polyporus zonalis* Berk.).
- **Fusarium heterosporum* Nees forma *aleuritidis* Saccas & Drouillon in *Agron. Trop.*, 6, p. 251, 1951 on *Aleurites fordii*.—French Equatorial Africa.
 — *laricis* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 130, 1950 on *Larix kaempferi*.—Japan.
 — *solani* (Mart.) Sacc. forma *batatas* McClure in *Phytopathology*, 41, p. 75, 1951 on *Ipomoea batatas*.—California, U.S.A.
- Galerina unicolor* (Fr.) Moser (This Index, 1, p. 279). Comb. made by Singer, *Beih. Bot. Zbl., Abt. B*, 56, p. 170, 1936.
- GERRONEMA** Singer in *Mycologia*, 43, p. 599, 1951.—Agaricales. Type *G. melanomphax*.
 — *depauperatum* Singer in *Mycologia*, 43, p. 601, 1951.—Argentina.
 — *elasticum* Singer in *Mycologia*, 43, p. 599, 1951.—Argentina.
 — *melanomphax* Singer in *Mycologia*, 43, p. 602, 1951.—Argentina.
- GIBBERELLULINA** da Camara in *Agron. lusit.*, 12, p. 101, 1950.—Hypocreales.
 — *abietis* da Camara in *Agron. lusit.*, 12, p. 101, 1950 on *Abies nordmanniana*.—Portugal.
- Gloeophyllum odoratum* (Wulf. ex Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 75, 1943. (Syn. *Polyporus odoratus* Wulf. ex Fr.).

- **protractum** (Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 75, 1943. (Syn. *Trametes protracta* Fr.).
- **ungulatum** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 75, 1943. (Syn. *Daedalea unguulata* Lloyd).
- Gloesporium cistinum** Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 494, 1948 on *Cistus populifolius*.—Spain.
- 160 — **polygonati** (Moesz) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 115, 1950. (Syn. *Cylindrosporella polygonati* Moesz).
- **pteridii** Karakulin nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 42, 1951. (Syn. *G. pteridis* (Kalchbr.) Bub. & Kab. 1906, non Harkn. 1884).
- **rubellum** Karakulin nom. nov., *Fungi Imperfecti Parasitici*, 2, pp. 73 and 597, 1950. (Syn. *G. cylindrospERMUM* Jaap 1912, non (Bon.) Sacc. 1884).
- **vancouveranum** Karakulin nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 148, 1951. (Syn. *G. crataegi* Dearn. & Barth. 1917, non Hollós 1906).
- ***Glomerella cingulata** (Stonem.) Spauld. & Schrenk var. **aleuritidis** Saccas & Drouillon in *Agron. Trop.*, 6, p. 251, 1951 on *Aleurites fordii* and *A. montana*.—French Equatorial Africa.
- Gnomonia fruticicola** (Arnaud) Fall in *Canad. J. Bot.*, 29, p. 309, 1951. (Syn. *Gnomonia fragariae* Kleb. var. *fruticicola* Arn.).
- **grewiae** Ciccarone in *Mycopathologia*, 5, p. 212, 1951 on *Grewia ferruginea*.—Abyssinia.
- Gnomoniella quadriguttulata** C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 57, 1951 on *Coffea liberica*.—Ivory Coast.
- Grifola intybacea** (Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 98, 1943. (Syn. *Polyporus intybaceus* Fr.).
- **umbellata** (Fr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 98, 1943. (Syn. *Polyporus umbellatus* Fr.).
- Guignardia cephalotaxi-nanae** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 117, 1950 on *Cephalotaxus nana*.—Japan.
- GYMNOPUCCINIA** Ramakrishnan in *Trans. Brit. mycol. Soc.*, 34, p. 141, 1951.—Uredinales.
- **pulneyensis** Ramakrishnan in *Trans. Brit. mycol. Soc.*, 34, p. 141, 1951 on *Toddalia asiatica*.—India.
- Halbania juniperi** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 124, 1950 on *Juniperus chinensis*.—Japan.
- Hansenula angusta** Wickerham in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 31, 1951 from orange juice.—Florida, U.S.A.
- **beckii** Wickerham nom. nov. in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 27, 1951. (Syn. *Endomyces bisporus* Beck, non *Hansenula bisporus* (Mattli) Nannizzi).
- **californica** (Lodder) Wickerham in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 39, 1951. (Syn. *Zygothansenula californica* Lodder).
- **canadensis** Wickerham in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 28, 1951 from beetle frass of *Pinus resinosa*.—Ontario, Canada.
- **capsulata** Wickerham in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 25, 1951 from frass of conifers.—Canada.
- **jadini** (Sartory) Wickerham [as 'jadinii'] in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 34, 1951. (Syn. *Saccharomyces jadini* Sartory et al.).
- **minuta** Wickerham in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 29, 1951 from fermenting *Myceena pura*.—Canada.
- **mrakii** Wickerham in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 40, 1951 from soil.—New Guinea.
- **silvicola** Wickerham in *Tech. Bull. U.S. Dep. Agric.* 1029, p. 30, 1951 from gum of *Prunus serotina*.—Illinois, U.S.A.
- HANSFORDIA** Hughes in *Mycol. Pap., C.M.I.*, 43, p. 15, 1951.—Moniliales. Type *H. ovalispora*.
- **canescens** (Speg.) Hughes in *Mycol. Pap., C.M.I.*, 43, p. 16, 1951. (Syn. *Sporotrichum canescens* Speg.).
- **grewiae** (Hansford) Hughes in *Mycol. Pap., C.M.I.*, 43, p. 16, 1951. (Syn. *Verticilladium grewiae* Hansf.).
- **grisella** (Sacc.) Hughes in *Mycol. Pap., C.M.I.*, 43, p. 16, 1951. (Syn. *Botrytis grisella* Sacc.).
- **ovalispora** Hughes in *Mycol. Pap., C.M.I.*, 43, p. 16, 1951 on *Saccharum officinarum*.—Gold Coast.
- **togoensis** Hughes in *Mycol. Pap., C.M.I.*, 43, p. 18, 1951 on *Setaria chevalieri*.—Togoland.
- **triumfettae** (Hansford) Hughes in *Mycol. Pap., C.M.I.*, 43, p. 16, 1951. (Syn. *Sporotrichum triumfettae* Hansf.).
- **ugandensis** (Hansford) Hughes in *Mycol. Pap., C.M.I.*, 43, p. 16, 1951. (Syn. *Verticilladium ugandense* Hansf.).
- HANSFORDIELLA** Hughes in *Mycol. Pap., C.M.I.*, 47, p. 10, 1951.—Moniliales. Type, *H. asterinearum*.
- **asterinearum** Hughes in *Mycol. Pap., C.M.I.*, 47, p. 11, 1951 on *Asterina baphiae*.—Gold Coast.
- **cupulifera** (Hansf.) Hughes in *Mycol. Pap., C.M.I.*, 47, p. 12, 1951. (Syn. *Helminthosporium cupulifera* Hansford).
- **meliolae** (Hansf.) Hughes in *Mycol. Pap., C.M.I.*, 47, p. 14, 1951. (Syn. *Teratosperma meliolae* Hansford).
- Hapalopilus cuneatus** (Murr.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 85, 1943. (Syn. *Coriolletus cuneatus* Murr.).
- **gypseus** (Yasuda) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 85, 1943. (Syn. *Polystictus gypseus* Yasuda).
- Helicodendron giganteum** Glen-Bott in *Trans. Brit. mycol. Soc.*, 34, p. 276, 1951 on leaves of *Fagus* and *Quercus* in water.—England.
- Helicogloeae incrustans** Y. Kobayasi in *Misc. Rep. Inst. nat. Resour., Tokyo*, 17–18, p. 47, 1950 on dead *Shiia sieboldi*.—Japan.
- Helicosporium hendrickxii** Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 52, 1945 on dead *Cyrtostachys rendlei*.—Belgian Congo.
- Heliomyces perforans** (Hofm.) Singer in *Collect. Bot.*, 1, p. 224, 1947. [Syn. not cited].
- HELMINTHOPELTIS** da Camara in *Agron. lusit.*, 12, p. 102, 1950.—Microthyriaceae.
- **almeidaeana** da Camara in *Agron. lusit.*, 12, p. 102, 1950 on *Juniperus communis* subsp. *nana*.—Portugal.
- Helotium malloti** Ramakrishnan & Srinivasan in *Proc. Indian Acad. Sci., Sect. B*, 34, p. 157, 1951 on *Mallotus albus*.—India.
- Hendersonia asteris** Bernaux in *Rev. Path. vég.*, 30, p. 22, 1951 on *Aster acer*.—France.
- Hexagona heteropora** (Mont.) Imazeki in

- Bull. Tokyo Sci. Mus.* 6, p. 76, 1943. (Syn. *Trametes heteropora* Mont.). [See also *H. heteropora* Pat., 1889].
- Hirschporus abietis** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 82, 1943. (Syn. *Lenzites abietis* Lloyd).
- ***Hormiscium acidophilum** Okada in *Sci. Rep. Tôhoku Imp. Univ.*, Ser. 4, 17, p. 99, 1942 in soil.—Japan.
- Hyaloscypha curvipes** Grelet in *Rev. Mycologie*, N.S., 16, p. 92, 1951 on dead cones of *Abies excelsa*.—France.
- Hydnellum caeruleum** (Fl. Dan.) Wehmeyer (This *Index*, 2, p. 4). Comb. made by Karsten in 1879.
- **mirabile** (Fr.) Wehmeyer (This *Index*, 2, p. 4). Comb. made by Karsten in 1879.
- Hydnochaete tabacinoides** (Yasuda ex Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 103, 1943. (Syn. *Irpez tabacinoides* Yasuda ex Lloyd).
- Hypocopra brevilineata** Munk in *Dansk bot. Ark.*, 12, 11, p. 5, 1948 on dung.—Denmark.
- Hypoderma mexicanum** F. A. Wolf in *Lloydia*, 14, p. 112, 1951 on *Pinus leiophylla*.—Mexico.
- Hypomyces novae-zealandiae** Dingley in *Trans. roy. Soc. N.Z.*, 79, p. 59, 1951 on *Polyporus*.—New Zealand.
- INFRAFUNGUS** Ciferri in *Mycopathologia*, 6, p. 26, 1951.—Moniliales.
- **micropus** (Sacc.) Ciferri in *Mycopathologia*, 6, p. 26, 1951. (Syn. *Fusarium micropus* Sacc.).
- Inocybe brunnea** Quéf. f. **insignior** Singer in *Collect. Bot.*, 1, p. 245, 1947.—Spain.
- **catalaunica** Singer in *Collect. Bot.*, 1, p. 245, 1947.—Spain.
- **fastigiata** (Schaeff.) Fr. f. **heimii** Singer in *Collect. Bot.*, 1, p. 233, 1947.—Spain.
- **obscura** var. **subpusio** Singer in *Collect. Bot.*, 1, p. 232, 1947.—Spain.
- **pseudohiulca** Kühn. subsp. **subduriuscula** Singer in *Collect. Bot.*, 1, p. 232, 1947.—Spain.
- Inonotus patouillardii** (Rick) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 105, 1943. (Syn. *Polyporus patouillardii* Rick).
- **sciurinus** Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 106, 1943 on wood.—Japan.
- Insiticia clavularis** (Fr. ex Kühn) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 34, p. 363, 1951. [Syn. not cited].
- Irenina homalii-angustifolia** Deighton in *Sydowia*, 5, p. 1, 1951 on *Homalium angustifolium*.—Sierra Leone.
- **phyllanthi** Deighton in *Sydowia*, 5, p. 1, 1951 on *Phyllanthus wildemanni*.—Sierra Leone.
- **taxi** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 137, 1950 on *Taxus cuspidata*.—Japan.
- Irenopsis buettnericola** Deighton in *Sydowia*, 5, p. 2, 1951 on *Buettneria*.—Sierra Leone.
- Kabatiella lini** (Laff.) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 209, 1950. (Syn. *Polyspora lini* Laff.).
- **microstromoidea** (Moesz) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 203, 1950. (Syn. *Gloeosporium microstromoides* Moesz).
- **phoradendri** (Darling) Harvey in *Madroño*, 11, p. 164, 1951. (Syn. *Protocoronospora phoradendri* Darling).
- — forma **umbellulariae** Harvey in *Madroño*, 11, p. 170, 1951 on *Umbellularia californica*.—California, U.S.A.
- **platani** (Eddelb. & Eng.) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 210, 1950. (Syn. *Microstroma platani* Eddelbütel & Engelke).
- **polyspora** (Bub. & Syd.) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 202, 1950. (Syn. *Pachybasidiella polyspora* Bub. & Syd.).
- **tilletioides** (Werd.) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 210, 1950. (Syn. *Pachybasidiella tilletiioides* Werdermann).
- Lachnea rosea** Schweers in *Rev. Mycologie*, 5, p. 86, 1940. (Correction of *Lachnella rosea* Schweers, this *Index*, 1, p. 6).
- Lactarius salmoneus** Heim & Leclair (This *Index*, 2, p. 22). See *L. salmoneus* Peck in *Bull. Torrey bot. Cl.*, 25, p. 369, 1898.
- Laetiporus versisporus** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 88, 1943. (Syn. *Calvatia versispora* Lloyd).
- Larseniella major** Munk in *Dansk bot. Ark.*, 12, 11, p. 7, 1948 on wood.—Denmark.
- Leccinum brunneo-olivaceum** Snell, Dick, & Hesler in *Mycologia*, 43, p. 360, 1951.—Tennessee, U.S.A.
- Leptochlamys chamaecyparidis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 122, 1950 on *Chamaecyparis obtusa*.—Japan.
- Leptomeliola puberula** Batista in *Mycopathologia*, 5, p. 167, 1951 on *Vismia*.—Brazil.
- LEPTOPELTINELLA** Petrak nom. nov. in *Sydowia*, 5, p. 187, 1951. (Syn. *Leptopeltina* Petrak 1947, non Speg. 1923).
- **filicina** (Lib.) Petrak in *Sydowia*, 5, p. 187, 1951. (Syn. *Aulographum filicinum* Lib.).
- **jaapii** (Rehm) Petrak in *Sydowia*, 5, p. 187, 1951. (Syn. *Aporia jaapii* Rehm).
- Leptosphaeria coffeigena** (Berk. & Curt.) Sacc. var. **longirostrata** C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 25, 1951 on *Coffea canephora*.—Ivory Coast.
- **didymellae-vincetoxicici** Müller in *Sydowia*, 5, p. 52, 1951 on *Didymella vincetoxicici*.—Switzerland.
- **kochiana** Müller in *Sydowia*, 5, p. 50, 1951 on *Carex baldensis*.—Switzerland.
- **phacae** Müller in *Sydowia*, 5, p. 49, 1951 on *Phaca alpina*.—Switzerland.
- **submodesta** Müller in *Sydowia*, 5, p. 53, 1951 on *Tofieldia calyculata*.—Switzerland.
- **themedicola** Ling in *Sydowia*, 5, p. 44, 1951 on *Themeda gigantea*.—Philippines.
- **tofieldiae** Müller in *Sydowia*, 5, p. 53, 1951 on *Tofieldia calyculata*.—Switzerland.
- Leucocoprinus gracilentus** (Krombh.) Locquin in *Bull. Soc. inn. Lyon*, 12, p. 95, 1943. [Antedating *L. gracilentus* (Krombh.) Singer in *Collect. Bot.*, 1, p. 239, 1947.]
- Limacinia capsici** Batista in *Mycopathologia*, 5, p. 160, 1951 on *Capsicum frutescens*.—Brazil.
- Lizonia abietis-mariesii** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 115, 1950 on *Abies mariesii*.—Japan.
- Lophiosphaera juniperi** Munk in *Dansk bot. Ark.*, 12, 11, p. 14, 1948 on *Juniperus communis*.—Denmark.
- Lophiostoma antennariae** Cherepanov in *J. Bot. U.S.S.R.*, 36, p. 270, 1951 on *Antennaria dioica*.—U.S.S.R.
- Lophodermium thujae** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 139, 1950 on *Thuja standishii*.—Japan.

- *thujopsidis* Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 141, 1950 on *Thujopsis dolabrata*.—Japan.
- Lycoperdon echinellum** (Pat.) Perdeck, 1950, (This *Index*, 2, p. 5) antedated by *L. echinellum* (Pat.) Ahmad, 1941 (*ibid.*, 1, p. 26).
- Lyophyllum infumatum** (Bres.) Singer var. *adscriptionum* (Britz.) Singer in *Collect. Bot.*, 1, p. 222, 1947. [Syn. not cited].
- Macrophoma convolvulacearum** Lacy & Thirumalachar in *Sydowia*, 5, p. 127, 1951 on *Convolvulus*.—India.
- *mariesii* Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 116, 1950 on *Abies mariesii*.—Japan.
- *pini-densiflorae* Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 134, 1950 on *Pinus densiflora*.—Japan.
- Marasmius maior** Singer in *Collect. Bot.*, 1, p. 224, 1947.—Spain.
- *rhododendri* Singer in *Collect. Bot.*, 1, p. 224, 1947.—Spain.
- *ventallosi* Singer in *Collect. Bot.*, 1, p. 225, 1947.—Spain.
- Marssonina alni** Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 596, 1950 on *Alnus incana*.—U.S.S.R.
- *carthami* (Fukui) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 385, 1951. (Syn. *Marsonia carthami* Fukui).
- *deformans* (Cooke & Massee) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 393, 1951. (Syn. *Marssonina deformans* Cooke & Massee).
- *erythraeae* (Siemaszko) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 388, 1951. (Syn. *Marssonina erythraeae* Siemaszko).
- *forsythiae* (Lind) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 394, 1951. (Syn. *Marsonia forsythiae* Lind).
- *manschurica* (Naumov) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 392, 1951. (Syn. *Marsonia manschurica* Naumov).
- *matteiana* (Sacc.) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 387, 1951. (Syn. *Marsonia matteiana* Sacc.).
- *sennenis* (G. Frag.) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 404, 1951. (Syn. *Marsonia sennenis* G. Frag.).
- *sonchi* (Dearn. & Bisby) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 386, 1951. (Syn. *Marssonina sonchi* Dearn. & Bisby).
- *stellariae* (Brezshn.) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 383, 1951. (Syn. *Marssonina stellariae* Brezshn.).
- *viticola* (Miyake) Karakulin, *Fungi Imperfecti Parasitici*, 2, p. 420, 1951. (Syn. *Marsonia viticola* Miyake).
- Massaria immersa** C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 29, 1951 on fallen *Coffea liberica*.—Ivory Coast.
- Massarinula pini** Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 132, 1950 on *Pinus densiflora*.—Japan.
- Masseeella ciferrii** Ciccarone in *Mycopathologia*, 5, p. 219, 1951 on *Berchemia yemensis*.—Abyssinia.
- Melampsora oblonga** Bagchee in *Indian For. Rec.*, Bot., 4, p. 57, 1950 on *Pinus excelsa*.—India.
- Melanoleuca mirabilis** (Bres.) Moser, 1950 (This *Index*, 2, p. 23) antedated by *M. mirabilis* (Bres.) Singer, 1942 (*ibid.*, 1, p. 69).
- *subpulverulenta* (Pers.) Métrod (This *Index*, 1, p. 263). See also *M. subpulveru-*
- lenta* (Fr.) Singer, *Schweiz. Z. Pilzk.*, 17, p. 56, 1939.
- Meliola alstoniicola** Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 35, 1945 on *Alstonia congensis*.—Belgian Congo.
- *balanitis* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 37, 1945 on *Balanites aegyptiaca*.—Belgian Congo.
- *baphiae-nitidae* Hansf. & Deighton var. *breviseta* Deighton in *Sydowia*, 5, p. 3, 1951 on *Baphia racemosa*.—Natal.
- *bicornis* Wint. var. *lonchocarpii* Batista in *Mycopathologia*, 5, p. 161, 1951 on *Lonchocarpus*.—Brazil.
- *boedijnii* Ciferri [as *Meliola* (Irenina) boedijnii] in *Mycopathologia*, 6, p. 21, 1951 on *Schefflera aromatica*.—Java.
- *carvalhoi* Deighton in *Sydowia*, 5, p. 4, 1951 on *Lonchocarpus cyanescens*.—Portuguese East Africa.
- *cissi-producti* Deighton in *Sydowia*, 5, p. 4, 1951 on *Cissus productus*.—Sierra Leone.
- *cleistopholidis* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 38, 1945 on *Cleistopholis verschuerenii*.—Belgian Congo.
- *geniculata* H. & P. Syd. & Butl. var. *antrocaryonis* Deighton in *Sydowia*, 5, p. 6, 1951 on *Antrocaryon micraster*.—Sierra Leone.
- *homalii* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 39, 1945 on *Homalium lalaense*.—Belgian Congo.
- *ingae* Stev. & Teh. var. *adenantherae* Ciferri in *Mycopathologia*, 6, p. 20, 1951 on *Adenanthera microsperma*.—Java.
- (*Chaetomeliola*) *javanica* Ciferri in *Mycopathologia*, 6, p. 19, 1951 on *Cassia siamea*.—Java.
- *mammeicola* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 40, 1945 on *Mammea africana*.—Belgian Congo.
- *millettiae-chrysophyllae* Deighton in *Sydowia*, 5, p. 7, 1951 on *Millettia chrysophylla*.—Sierra Leone.
- *octoknematis* Deighton in *Sydowia*, 5, p. 7, 1951 on *Octoknema borealis*.—Sierra Leone.
- *olacis* Deighton in *Sydowia*, 5, p. 8, 1951 on *Olex mannii*.—Sierra Leone.
- *oleicola* Doidge var. *jasmini* Ciccarone in *Mycopathologia*, 5, p. 210, 1951 on *Jasminum abyssinicum*.—Abyssinia.
- *viticola* Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 41, 1945 on *Vitex* sp. —Belgian Congo.
- Merulius nothofagi** Cunningham in *Bull. Dep. sci. industr. Res. N.Z.* 83, p. 7, 1950 on *Nothofagus solandri*.—New Zealand.
- Metasphaeria luteola** Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 466, 1948 on *Poa nemoralis*.—Spain.
- Microdiplodia gardeniae** Démétriadès in *Ann. Inst. phytopath. Benaki*, 4, p. 11, 1950 on *Gardenia*.—Greece.
- *ovoidea* Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 492, 1948 on *Rhamnus frangula*.—Spain.
- ***Micromyces ovalis** Rieth in *Österr. bot. Z.*, 97, p. 516, 1950 on *Mougeotia*.—Germany.
- Micronectria syzigii** Ciccarone [as '*sizigii*'] in *Mycopathologia*, 5, p. 214, 1951 on *Syzigium guineensis*.—Abyssinia.
- Micropeltis pleiocarpae** Hansford in *Rec. Inst. nat. Étud. agron. Congo belge* 2, p. 49, 1945 on *Pleiocarpa culicina*.—Belgian Congo.
- Microporus nipponicus** (Yasuda) Imazeki in

- Bull. Tokyo Sci. Mus.* 6, p. 95, 1943. (Syn. *Polystictus napponicus* Yasuda).
- **obovatus** (Jungb.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 95, 1943. (Syn. *Polyporus obovatus* Jungb.).
- **subaffinis** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 96, 1943. (Syn. *Polystictus subaffinis* Lloyd).
- **vernicipes** (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 96, 1943. (Syn. *Polyporus vernicipes* Berk.).
- Microthyriella inaequalis** Batista in *Mycopathologia*, 5, p. 171, 1951 on *Ocotea*.—Brazil.
- MILLERBURTONIA** Ciferri in *Mycopathologia*, 6, p. 27, 1951.—Melanconiales.
- **oyedaeae** Ciferri ['as *oyedae*'] in *Mycopathologia*, 6, p. 27, 1951 on *Oyedaea verbesinoides*.—Venezuela.
- Mollisia chamaecyparidis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 120, 1950 on *Chamaecyparis pisifera*.—Japan.
- **thujopsidis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 141, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- Monochaetia berberidicola** Vassiljevsky nom. nov., *Fungi Imperfecti Parasitici*, 2, p. 466, 1950. (Syn. *M. berberidis* Girz. non Lind).
- Montemartinia abietis-mariesii** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 115, 1950 on *Abies mariesii*.—Japan.
- Mortierella acuminata** Linnemann in *Pflanzenforschung*, 23, p. 21, 1941.—Germany.
- **elongata** Linnemann in *Pflanzenforschung*, 23, p. 43, 1941.—Germany.
- var. **subtilis** Linnemann in *Pflanzenforschung*, 23, p. 44, 1941.—Germany.
- **exigua** Linnemann in *Pflanzenforschung*, 23, p. 44, 1941.—Germany.
- **gracilis** Linnemann in *Pflanzenforschung*, 23, p. 38, 1941.—Germany.
- **horticola** Linnemann in *Pflanzenforschung*, 23, p. 21, 1941.—Germany.
- **hygrophila** Linnemann var. **minuta** Linnemann in *Pflanzenforschung*, 23, p. 50, 1941.—Germany.
- **insignis** Linnemann in *Pflanzenforschung*, 23, p. 34, 1941.—Germany.
- **minutissima** van Tieghem var. **dubia** Linnemann in *Pflanzenforschung*, 23, p. 39, 1941.—Germany.
- **mundensis** Linnemann in *Pflanzenforschung*, 23, p. 49, 1941.—Germany.
- **mutabilis** Linnemann in *Pflanzenforschung*, 23, p. 52, 1941.—Germany.
- **nana** Linnemann in *Pflanzenforschung*, 23, p. 16, 1941.—Germany.
- **parvispora** Linnemann in *Pflanzenforschung*, 23, p. 53, 1941.—Germany.
- **polycephala** Coemans var. **angusta** Linnemann in *Pflanzenforschung*, 23, p. 30, 1941.—Germany.
- **pulchella** Linnemann in *Pflanzenforschung*, 23, p. 41, 1941.—Germany.
- **sepedonioides** Linnemann in *Pflanzenforschung*, 23, p. 23, 1941.—Germany.
- **verticillata** Linnemann in *Pflanzenforschung*, 23, p. 22, 1941.—Germany.
- **zychae** Linnemann in *Pflanzenforschung*, 23, p. 46, 1941.—Germany.
- Mycena adonis** (Bull.) Fr. var. **variegata** Singer in *Collect. Bot.*, 1, p. 226, 1947.—Spain.
- **decipiens** (van Overeem) Métrod (This *Index*, 2, p. 5). See also *M. decipiens* Rick, 1930.
- **subalbida** Métrod (This *Index*, 2, p. 6). See also *M. subalbida* Cleland, 1931.
- Mycosphaerella allicina** (Fr.) Arx apud Petrak in *Sydowia*, 3, p. 286, 1949. [Antedated by *M. allicina* (Fr.) Vestergren, 1896].
- Mycosphaerella cucumis** (Fautr. & Roum.) Chiu & Walker in *J. agric. Res.*, 78, p. 98, 1949. (Syn. *Ascochyta cucumis* Fautr. & Roum., 1891.).
- **melonis** (Pass.) Chiu & Walker in *J. agric. Res.*, 78, p. 589, 1949. (Syn. *Didymella melonis* Pass, 1891).
- **melothriae** Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, 34, p. 159, 1951 on *Melothria mucronata*.—India.
- **thujopsidis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 142, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- **tingens** (Niessl) Arx (This *Index*, 1, p. 281) antedated by *M. tingens* (Niessl) Larsen, *Fungi of Iceland*, 1932.
- **zizaniae** (Schw. em. Ell. & Everh.) Sprague, *Diseases of Cereals and Grasses in North America*, p. 90, 1950. (Syn. *Sphaeria zizaniae* Schw.). [Antedated by *M. zizaniae* (Schw.) Lindau, 1897].
- Myiocypron ramicola** C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 18, 1951 on fallen *Coffea liberica*.—Ivory Coast.
- Naematoloma anomalum** (A. H. Smith) A. H. Smith in *Mycologia*, 43, p. 477, 1951. (Syn. *Hypholoma anomalum* A. H. Smith).
- **dispersum** (Fr.) Karsten var. **dispersum** in *Mycologia*, 43, p. 511, 1951. Type var. of the species.
- var. **flavifolium** A. H. Smith in *Mycologia*, 43, p. 515, 1951.—Ontario, Canada.
- var. **idahoense** (A. H. Smith) A. H. Smith in *Mycologia*, 43, p. 513, 1951. (Syn. *Hypholoma dispersum* var. *idahoense* A. H. Smith).
- **ericaeum** (Pers. ex Fr.) A. H. Smith in *Mycologia*, 43, p. 485, 1951. (Syn. *Agaricus ericaeus* Pers. ex Fr.).
- **longisporum** (Murrill) A. H. Smith in *Mycologia*, 43, p. 480, 1951. (Syn. *Psilocybe longispora* Murrill).
- **olivaceotinctum** (Kauffm.) A. H. Smith in *Mycologia*, 43, p. 488, 1951. (Syn. *Psilocybe olivaceotincta* Kauffm.).
- **potteri** A. H. Smith in *Mycologia*, 43, p. 499, 1951.—Michigan, U.S.A.
- **squalidellum** (Peck) A. H. Smith in *Mycologia*, 43, p. 493, 1951. (Syn. *Agaricus squalidellus* Peck).
- **subviride** (Berk. & Curt.) A. H. Smith in *Mycologia*, 43, p. 519, 1951. (Syn. *Agaricus subviridis* Berk. & Curt.).
- **viscidipes** (A. H. Smith) A. H. Smith in *Mycologia*, 43, p. 479, 1951. (Syn. *Hypholoma viscidipes* A. H. Smith).
- Naetrocymbe** (as 'Netrocymbe') **depressum** Batista in *Mycopathologia*, 5, p. 155, 1951 on *Clidemia hirta*.—Brazil.
- **inspersum** Batista in *Mycopathologia*, 5, p. 158, 1951 on *Xylopia frutescens*, *Bougainvillea glabra*, *Adiantum*.—Brazil.
- **lifoensiae** Batista in *Mycopathologia*, 5, p. 156, 1951 on *Lifoensia glyptocarpa*.—Brazil.
- **mauritiae** Batista in *Mycopathologia*, 5, p. 155, 1951 on *Mauritia vinifera*.—Brazil.
- **perparum** Batista in *Mycopathologia*, 5, p. 157, 1951 on *Monnieria trifolia*.—Brazil.

- **robustum** Batista in *Mycopathologia*, **5**, p. 158, 1951 on *Solanum robustum*.—Brazil.
- NECRAPHIDIUM** Ciferri in *Mycopathologia*, **6**, p. 25, 1951.—Moniliales.
- **zoophilum** (Sacc. & Trott.) Ciferri in *Mycopathologia*, **6**, p. 25, 1951. (Syn. *Ramularia zoophila* Sacc. & Trott.).
- NEOHYGROPHORUS** Singer nom. nov. in *Lilloa*, **22**, p. 149, 1951. (Syn. *Hygrophorus* subgen. *Pseudohygrophorus* A. H. Smith & Hesler).
- **angelesianus** (A. H. Smith & Hesler) Singer in *Lilloa*, **22**, p. 149, 1951. (Syn. *Hygrophorus angelesianus* A. H. Smith & Hesler).
- NEOPELTIS** Petrak (This Index, **1**, p. 281). See also *Neopeltis* Syd., 1937.
- Nolanea infula** Fr. forma *epixylon* Singer in *Collect. Bot.*, **1**, p. 218, 1947.—Spain.
- **staurospora** var. *kamerunensis* (Bres.) Singer in *Collect. Bot.*, **1**, p. 241, 1947. [Syn. not cited].
- Onnia cumingii** (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.*, **6**, p. 110, 1943. (Syn. *Polyporus cuningii* Berk.).
- **musashiensis** (P. Henn.) Imazeki in *Bull. Tokyo Sci. Mus.*, **6**, p. 110, 1943. (Syn. *Polyporus musashiensis* P. Henn.).
- **orientalis** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.*, **6**, p. 110, 1943. (Syn. *Polyporus orientalis* Lloyd).
- **scaura** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.*, **6**, p. 110, 1943. (Syn. *Polyporus scaurus* Lloyd).
- **subpertusa** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.*, **6**, p. 110, 1943. (Syn. *Polyporus subpertusus* Lloyd).
- Ophiomeliola mangiferae** Batista in *Mycopathologia*, **5**, p. 164, 1951 on *Mangifera indica*.—Brazil.
- Ophiostoma clavatum** Mathiesen in *Svensk bot. Tidskr.*, **45**, p. 222, 1951.—Sweden.
- **floccosum** Mathiesen in *Svensk bot. Tidskr.*, **45**, p. 219, 1951.—Sweden.
- **olivaceum** Mathiesen in *Svensk bot. Tidskr.*, **45**, p. 215, 1951.—Sweden.
- **tetropii** Mathiesen in *Svensk bot. Tidskr.*, **45**, p. 228, 1951.—Sweden.
- Ostropella verruculosa** C. & M. Moreau in *Rev. Mycologie*, **16**, Suppl. Col. No. 1, p. 35, 1951 on dead *Coffea canephora*.—Ivory Coast.
- Paecilomyces elegans** (Corda) Mason & Hughes apud Hughes in *Mycol. Pap.*, **C.M.I.**, **45**, p. 27, 1951. (Syn. *Penicillium elegans* Corda).
- **marquandii** (Masse) Hughes in *Mycol. Pap.*, **C.M.I.**, **45**, p. 30, 1951. (Syn. *Verticillium marquandii* Masse).
- * **Paramoebidium pavillardii** Manier in *Ann. Sci. nat., Bot.*, Sér. XI, **11**, p. 99, 1951 on *Boetis arebatus*.—France.
- * — **procloëni** Manier in *Ann. Sci. nat., Bot.*, Sér. XI, **11**, p. 102, 1951 on *Procloëon bifidum*.—France.
- Peridermium pini-koraiensis** Sawada in *Rep. For. Exp. Sta.*, Tokyo, **46**, p. 135, 1950 on *Pinus koraiensis*.—Japan.
- Peroneutypa multistromata** C. & M. Moreau in *Rev. Mycologie*, **16**, Suppl. Col. No. 1, p. 72, 1951 on *Coffea canephora*.—Ivory Coast.
- Peronospora davisii** Shaw in *Mycologia*, **43**, p. 445, 1951 on *Dracocephalum parviflorum*.—Wisconsin, U.S.A.
- **favargeri** Mayor & Vienne-Bourgin in *Bull. Soc. mycol. Fr.*, **67**, p. 116, 1951 on *Euphorbia hirta*.—Ivory Coast.
- **gaeumanni** Mayor (This Index, **1**, p. 282). See also *P. gaeumanni* Mundkur, 1938.
- **jacksonii** Shaw in *Mycologia*, **43**, p. 448, 1951 on *Mimulus guttatus*.—Oregon, U.S.A.
- **nemophilae** Shaw in *Mycologia*, **43**, p. 450, 1951 on *Nemophila sepulta*.—Washington State, U.S.A.
- Pestalotia populi-nigrae** Sawada & Itô apud Itô in *Rep. For. Exp. Sta.*, Tokyo, **45**, p. 140, 1950 on *Populus nigra*.—Japan.
- Pestalozzia cephalotaxi** Sawada in *Rep. For. Exp. Sta.*, Tokyo, **46**, p. 118, 1950 on *Cephalotaxus nana*.—Japan.
- **chamaecyparidis** Sawada in *Rep. For. Exp. Sta.*, Tokyo, **46**, p. 122, 1950 on *Chamaecyparis obtusa*.—Japan.
- **laricicola** Sawada in *Rep. For. Exp. Sta.*, Tokyo, **46**, p. 128, 1950 on *Larix kaempferi*.—Japan.
- **thujae** Sawada in *Rep. For. Exp. Sta.*, Tokyo, **46**, p. 140, 1950 on *Thuja standishii*.—Japan.
- **thujopsidis** Sawada in *Rep. For. Exp. Sta.*, Tokyo, **46**, p. 144, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- Phaeopeltis sapotae** Batista in *Mycopathologia*, **5**, p. 159, 1951 on *Achras sapota*.—Brazil.
- Phaeosphaerella halymii** Bausá Alcalde in *An. Jard. bot. Madrid*, **7**, p. 466, 1948 on *Halimium* (as 'Halymium') *ocymoides*.—Spain.
- Phakopsora fici-elasticae** Ramakrishnan in *Trans. Brit. mycol. Soc.*, **34**, p. 144, 1951 on *Ficus elastica*.—India.
- Phellinus gilvodes** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.*, **6**, p. 104, 1943. (Syn. *Trametes gilvodes* Lloyd).
- **hamatus** (Corn.) Imazeki in *Bull. Tokyo Sci. Mus.*, **6**, p. 104, 1943. (Syn. *Fomes hamatus* Corn.).
- **hartigii** (Allesch.) Imazeki in *Bull. Tokyo Sci. Mus.*, **6**, p. 104, 1943. (Syn. *Fomes hartigii* Allesch.).
- **piptadeniae** Teixeira in *Bragantia*, **10**, p. 118, 1950 on *Piptadenia communis*.—Brazil.
- **rickii** Teixeira in *Bragantia*, **10**, p. 120, 1950.—Brazil.
- **yucatensis** (Murr.) Imazeki in *Bull. Tokyo Sci. Mus.*, **6**, p. 105, 1943. (Syn. *Fomes yucatensis* Murr.).
- Phleospora olettiae** Ciccarone in *Mycopathologia*, **5**, p. 229, 1951 on *Loranthus*.—Africa.
- Phoma ascochytoidea** Bausá Alcalde in *An. Jard. bot. Madrid*, **7**, p. 478, 1948 on *Phillyrea angustifolia*.—Spain.
- **bacilligera** Cherepanov in *J. Bot. U.S.S.R.*, **36**, p. 272, 1951 on *Erysimum cheiranthoides*.—U.S.S.R.
- **balanitis** Ciccarone in *Mycopathologia*, **5**, p. 227, 1951 on *Balanites aegyptiaca*.—Abyssinia.
- **pilospora** Sawada in *Rep. For. Exp. Sta.*, Tokyo, **46**, p. 144, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- **teesdaliae** Bausá Alcalde in *An. Jard. bot. Madrid*, **7**, p. 479, 1948 on *Teesdalia nudicaulis*.—Spain.
- **thujopsidis** Sawada in *Rep. For. Exp. Sta.*, Tokyo, **46**, p. 145, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- **udmurtica** Cherepanov in *J. Bot. U.S.S.R.*,

- 36, p. 272, 1951 on *Hieracium umbellatum*.—U.S.S.R.
- Phomopsis cephalotaxi** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 119, 1950 on *Cephalotaxus nana*.—Japan.
- **dauci** von Arx in *Tijdschr. PlZiekt.*, 57, p. 50, 1951 on *Daucus carota*.—Holland.
- **nepetae** (da Camara) da Camara (This *Index*, 2, p. 41). See also *P. nepetae* Gonz. Frag., 1914 and *P. nepetae* Moesz, 1925.
- PHRAGMOCEPHALA** Mason & Hughes in *The Naturalist*, 1951, p. 97, 1951.—Hyphomycetes. Type, *P. cookei*.
- **atra** (Berk. & Br.) Mason & Hughes in *The Naturalist*, 1951, p. 97, 1951. (Syn. *Arthrobotryum atrum* Berk. & Br.).
- **cookei** Mason & Hughes in *The Naturalist*, 1951, p. 98, 1951 on dead herbs.—England.
- **minima** Mason & Hughes in *The Naturalist*, 1951, p. 103, 1951 on bark of *Fagus sylvatica*.—England.
- **setosa** (Berk. & Curt.) Mason & Hughes in *The Naturalist*, 1951, p. 97, 1951. (Syn. *Monotospora setosa* Berk. & Curt. apud Berk.).
- Phragmotryiella dignota** Batista in *Mycopathologia*, 5, p. 171, 1951 on *Ocotea*.—Brazil.
- **exserta** Batista in *Mycopathologia*, 5, p. 170, 1951 on *Ocotea*.—Brazil.
- **thujopsidis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 142, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- Phyllachora gondarensis** Ciccarone in *Mycopathologia*, 5, p. 216, 1951 on *Stephania abyssinica*.—Abyssinia.
- **indica** Uppal, Patel, & Bhide (This *Index*, 2, p. 25). See also *P. indica* Theiss. & Syd. in *Ann. mycol., Berl.*, 1915.
- Phyllosticta aleuritidis** Saccas & Drouillon in *Agron. Trop.*, 6, p. 239, 1951 on *Aleurites fordii*.—French Equatorial Africa.
- **bromivora** Sprague in *Mycologia*, 43, p. 551, 1951 on *Bromus tiliatus*.—New Mexico, U.S.A.
- **galligena** Moreau in *Bull. Soc. bot. Fr.*, 98, 4-6, p. 102, 1951 on *Parmelia perforata*.—India.
- **gymnosporiae** Ciccarone in *Mycopathologia*, 5, p. 227, 1951 on *Gymnosporia*.—Abyssinia.
- **laricis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 129, 1950 on *Larix kaempferi*.—Japan.
- **microspora** Saccas & Drouillon in *Agron. Trop.*, 6, p. 241, 1951 on *Aleurites*.—French Equatorial Africa.
- **polygonati-officinalis** Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 477, 1948 on *Polygonatum officinale*.—Spain.
- **thujopsidis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 145, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- Physalospora achyanthis** Ramakrishnan in *Proc. Indian Acad. Sci., Sect. B*, 34, p. 161, 1951 on *Achyranthes aspera*.—India.
- **laricina** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 126, 1950 on *Larix kaempferi*.—Japan.
- **paulowniae** Ito & Kobayashi in *Rep. For. Exp. Sta., Tokyo*, 49, p. 85, 1951 on *Paulownia tomentosa*.—Japan.
- Physoderma aechynomeneis** Thirumalachar & Whitehead in *Mycologia*, 43, p. 435, 1951 on *Aechynomene indica*.—India.
- Pityrosporium orbiculare** M. A. Gordon in *Mycologia*, 43, p. 532, 1951 from human skin.—Georgia, U.S.A.
- Plagiostoma alnea** (Fr.) von Arx in *Antonie van Leeuwenhoek J. Microbiol. Serol.*, 17, p. 264, 1951. (Syn. *Sphaeria alnea* Fr.).
- **pustula** (Pers.) von Arx in *Antonie van Leeuwenhoek J. Microbiol. Serol.*, 17, p. 264, 1951. (Syn. *Sphaeria pustula* Pers.).
- **rehmii** (Sacc.) von Arx in *Antonie van Leeuwenhoek J. Microbiol. Serol.*, 17, p. 264, 1951. (Syn. *Hypospila rehmii* Sacc.).
- PLANETELLA** Savile in *Canad. J. Bot.*, 29, p. 326, 1951.—Ustilaginales.
- **lironis** Savile in *Canad. J. Bot.*, 29, p. 327, 1951 on *Carex maritima*.—Keewatin, Canada.
- Plasmopara cercidis** Shaw in *Mycologia*, 43, p. 452, 1951 on *Cercis canadensis*.—Tennessee, U.S.A.
- **myosotidis** Shaw in *Mycologia*, 43, p. 447, 1951 on *Myosotis laxa*.—Wisconsin, U.S.A.
- Pleospora asymmetrica** Wehmeyer in *Mycologia*, 43, p. 582, 1951 on *Agrostis*.—Washington State, U.S.A.
- **betae** Bjorling in *Bot. Notiser*, 1944, p. 218, 1944 on *Beta vulgaris*; perfect state of *Phoma betae*.—Sweden.
- **obliqua** Wehmeyer in *Mycologia*, 43, p. 579, 1951 on grass.—Saxony.
- **rainierensis** Wehmeyer in *Mycologia*, 43, p. 586, 1951 on *Muhlenbergia filiformis*.—Washington State, U.S.A.
- Pleuronaema thujopsidis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 145, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- Pluteus cervinus** (Schaeff.) Fr. var. **minor** Singer in *Collect. Bot.*, 1, p. 228, 1947.—Spain.
- Podaxis deciduus** Batista in *Bol. Agric., Pernambuco*, 17, p. 321, 1951.—Brazil.
- **dilabentis** Batista in *Bol. Agric., Pernambuco*, 17, p. 320, 1951.—Brazil.
- **fastigatus** Batista in *Bol. Agric., Pernambuco*, 17, p. 322, 1951.—Brazil.
- Podochytrium cornutum** Sparrow in *Trans. Brit. mycol. Soc.*, 34, p. 172, 1951 on *Stephanodiscus niagarae*.—Wisconsin, U.S.A.
- Polyporus striatulus** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.* 6, p. 95, 1943. (Syn. *Polystrictus striatulus* Lloyd).
- Psathyra agaves** (Maire) Singer in *Collect. Bot.*, 1, p. 230, 1947. [Syn. not cited].
- **codinae** Singer in *Collect. Bot.*, 1, p. 230, 1947.—Spain.
- **langei** Singer nom. nov. in *Collect. Bot.*, 1, p. 244, 1947. (Syn. *P. fibrillosa* 'Lge., non al.').
- Pseudodiscosia laricis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 129, 1950 on *Larix kaempferi*.—Japan.
- Pseudomassaria jaczewskii** Cherepanov in *J. Bot. U.S.S.R.*, 36, p. 271, 1951 on *Rosa cinnamomea*.—U.S.S.R.
- Pseudophacidium photiniae** Ramakrishnan & Srinivasan in *Proc. Indian Acad. Sci., Sect. B*, 34, p. 158, 1951 on *Photinia notoniana*.—India.
- Psilocybe luteonitens** (Vahl) Parker-Rhodes in *Trans. Brit. mycol. Soc.*, 34, p. 364, 1951. (Syn. *Stropharia luteonitens* (Vahl) Fr.).
- Psilospora chamaecyparidis** Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 123, 1950 on *Chamaecyparis pisifera*.—Japan.
- Puccinia artemisiae-camphoratae** Guyot in *Uredineana*, 3, p. 61, 1951 on *Artemisia camphorata*.—France.
- **avenastri** Guyot in *Uredineana*, 3, p. 67, 1951 on *Avena bromoides*.—France.

- *bromoides* Guyot in *Uredineana*, 3, p. 67, 1951 on *Avena bromoides*.—France.
- *circumacta* Viennot-Bourgin in *Bull. Soc. mycol. Fr.*, 65, p. 75, 1949 on *Teucrium polium*.—France.
- *hashikoi* Hiratsuka f. in *J. Jap. Bot.*, 18, p. 570, 1942 on *Epipremnum mirabile*.—Hainan Isl., China.
- *holcicola* Guyot in *Uredineana*, 3, p. 65, 1951 on *Holcus lanatus* and *H. annuus*.—France, Germany, & North Africa.
- *hordei-maritimi* Guyot in *Uredineana*, 3, p. 62, 1951 on *Hordeum maritimum* and *Clematis vitalba*.—France. [Cf. this Index, 2, p. 27].
- *praegracilis* Arth. var. *connersii* (Savile) Savile in *Mycologia*, 43, p. 458, 1951. (Syn. *P. connersii* Savile).
- var. *praegracilis* Savile in *Mycologia*, 43, p. 457, 1951 on *Habenaria gracilis* and *Agrostis thurberiana*.—British Columbia, Canada. [But? type variety of the species].
- *rimosa* (Link) Winter forma *natrassii* Rayss in *Uredineana*, 3, p. 181, 1951 on *Juncus maritimus*.—Palestine.
- *scabiosae* (Hasl.) Guyot in *Uredineana*, 3, p. 67, 1951. (Syn. *P. centaureae* DC. forma *scabiosae* Hasl.).
- *seseleos* Guyot in *Uredineana*, 3, p. 61, 1951 on *Seseli cantabricum*, *S. glaucum*, *S. montanum*, *S. tortuosum*.—Central & Southern Europe.
- *symphyti-bromorum* Fr. Mull. forma *tuberosi-asperii* Dupias in *Uredineana*, 3, p. 12, 1951 on *Bromus asper*.—France.
- *tombeana* Gäumann & Terrier in *Rev. Mycologie*, N.S., 16, p. 77, 1951 on *Leontodon tenuiflorus*.—Italy.
- Pulverboletus melleoluteus** Snell, Dick, & Hesler in *Mycologia*, 43, p. 361, 1951.—Tennessee, U.S.A.
- PYCNIDIOCHAETA** da Camara in *Agron. lusit.*, 12, p. 109, 1950.—Sphaeropsidales.
- *biciliata* da Camara in *Agron. lusit.*, 12, p. 109, 1950 on *Agrostis castellana*.—Portugal.
- ***Pythium debaryanum** Hesse var. *viticola* Jain in *Nagpur agric. Coll. Mag.*, 25, p. 8, 1951 on *Vitis vinifera*.—India.
- Rabenhorstia cephalotaxi** Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 119, 1950 on *Cephalotaxus nana*.—Japan.
- Ramaria macrospora** (Brinkm.) Corner (This Index, 2, p. 28). See also *R. macrospora* Velen. (ibid., 1, p. 194).
- Ramularia grewiae** Lacy & Thirumalachar in *Sydowia*, 5, p. 126, 1951 on *Grewia asiatica*.—India.
- *tinosporeae* Lacy & Thirumalachar in *Sydowia*, 5, p. 126, 1951 on *Tinospora cordifolia*.—India.
- Ravenelia candussioi** Ciccarone in *Mycopathologia*, 5, p. 218, 1951 on *Acacia laeta*.—Eritrea.
- Rhabdospora pteridii** da Camara in *Agron. lusit.*, 12, p. 114, 1950 on *Pteridium aquilinum*.—Portugal.
- Rhamphoria separata** Munk in *Dansk bot. Ark.*, 12, 11, p. 13, 1948 on wood.—Denmark.
- Rhizoctonia ramicola** Weber & Roberts in *Phytopathology*, 41, p. 618, 1951 on *Elaeagnus pungens*.—Florida, U.S.A.
- Rhopalomyces elegans** Corda forma *minor* Rayss in *Palest. J. Bot.*, J. Ser., 5, p. 20, 1950 on *Sepultaria arenosa*.—Palestine.
- Rhytidhysterium rufulum** (Spreng.) Petrak in *Sydowia*, 5, p. 186, 1951. (Syn. *Trybli-diella rufula* (Spreng.) Sacc.).
- Robillarda muhlenbergiae** Sprague in *Mycologia*, 43, p. 551, 1951 on *Muhlenbergia filiformis*.—California, U.S.A.
- Russula font-queri** Singer in *Collect. Bot.*, 1, p. 215, 1947.—Spain.
- *subminutula* Singer in *Collect. Bot.*, 1, p. 237, 1947.—Spain.
- Saccardinula colorata** da Camara in *Agron. lusit.*, 12, p. 102, 1950 on *Pinus pinaster*.—Portugal.
- Schizothecium longicolle** Ames in *Sydowia*, 5, p. 121, 1951.—Colorado and Virginia, U.S.A.
- Sclerogaster macrosporus** Hawker in *Trans. Brit. mycol. Soc.*, 34, p. 218, 1951 in soil.—England.
- Sclerotopsis abietis-mayrianae** Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 117, 1950 on *Abies mayriana*.—Japan.
- Scolecosporium syzigii** Ciccarone in *Mycopathologia*, 5, p. 230, 1951 on *Syzigium guineense*.—Abyssinia.
- Secotium coneii** Heim in *Rev. Mycologie*, N.S., 16, p. 144, 1951.—New Zealand.
- Selenophoma arrhenatheri** Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 479, 1948 on *Arrhenatherum elatius*.—Spain.
- *brachypodii* Bernaux in *Rev. Path. vég.*, 30, p. 20, 1951 on *Brachypodium phoenicoides*.—France.
- Septogloeum asiminiae** (Ell. & Morg.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 439, 1950. (Syn. *Phleospora asiminiae* Ell. & Morg.).
- *populiperdum* Johannes in *Phytopath. Z.*, 17, p. 406, 1951 on *Populus vernirubens*, *P. bachelieri*, *P. generosa*, *P. robusta*.
- Septonema pini-densiflorae** Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 135, 1950 on *Pinus densiflora*.—Japan.
- Septoria balanitis** Ciccarone in *Mycopathologia*, 5, p. 228, 1951 on *Balanites aegyptiaca*.—Abyssinia.
- *calendulae* Bernaux in *Rev. Path. vég.*, 30, p. 17, 1951 on *Calendula arvensis*.—France.
- *cisti* Bernaux in *Rev. Path. vég.*, 30, p. 19, 1951 on *Cistus albidus*.—France.
- *erodii* Rayss in *Palest. J. Bot.*, J. Ser., 5, p. 18, 1950 on *Erodium malacoides*.—Palestine.
- *macrocalypae* Paelt in *Sydowia*, 5, p. 165, 1951 on *Catalpa* (*Macrocalypa*) *longissima*.—Jamaica.
- *pepli* Shaw in *Proc. Linn. Soc. N.S.W.*, 76, p. 23, 1951 on *Euphorbia peplus*.—New South Wales.
- *pini-pumillae* Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 136, 1950 on *Pinus pumila*.—Japan.
- *proteae* Ciccarone in *Mycopathologia*, 5, p. 229, 1951 on *Protea abyssinica*.—Abyssinia.
- *syzigii* Ciccarone in *Mycopathologia*, 5, p. 229, 1951 on *Syzigium guineense*.—Abyssinia.
- *wahlenbergiae* [as 'wahlembergiae'] Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 488, 1948 on *Wahlenbergia hederacea*.—Spain.
- Setella congensis** Hansford in *Rec. Inst. nat. Etud. agron. Congo belge* 2, p. 41, 1945 on *Caloncoba welwitschii*.—Belgian Congo.

- *coracina* Batista in *Mycopathologia*, 5, p. 153, 1951 on *Mauritia vinifera*.—Brazil.
- Sordaria destruens** (Shear) Hawker in *Trans. Brit. mycol. Soc.*, 34, p. 174, 1951. (Syn. *Anthostomella destruens* Shear).
- Sorodiscus cokeri** Goldie-Smith in *J. Elisha Mitchell sci. Soc.*, 67, p. 108, 1951 on *Pythium*.—Florida, U.S.A.
- Sorosporium barberi** (Mundk.) Ling in *Sydowia*, 5, p. 44, 1951. (Syn. *Ustilago barberi* Mundk.).
- *concelatum* Ling in *Lloydia*, 14, p. 106, 1951 on *Arundinella nepalensis*.—New South Wales.
- *consanguineum* Ell. & Ev. var. *bullatum* Pavgi & Thirumalachar in *Sydowia*, 5, p. 10, 1951 on *Aristida adscensionis*.—India.
- *mutabile* (Syd.) Ling in *Lloydia*, 14, p. 107, 1951. (Syn. *Sphaelotheca mutabilis* Syd.).
- *nardi* (H. & P. Syd.) Ling in *Sydowia*, 5, p. 47, 1951. (Syn. *Ustilago nardi* H. & P. Syd.).
- *panici-carthagenensis* (Speg.) Zundel in *Mycologia*, 43, p. 268, 1951. (Syn. *Ustilago panici-carthagenensis* Speg.).
- *spermoideum* (Berk. & Br.) Ling in *Sydowia*, 5, p. 48, 1951. (Syn. *Ustilago spermoidea* Berk. & Br.).
- *stiparum* (Speg.) Zundel in *Mycologia*, 43, p. 269, 1951. (Syn. *Ustilago stiparum* Speg.).
- Sphaelotheca elyonuri** Ciccione in *Mycopathologia*, 5, p. 224, 1951 on *Elyonurus argenteus* var. *caespitosus*.—Abyssinia.
- *hydropiperis* var. *berkeleyana* (Tul.) Zundel in *Mycologia*, 43, p. 270, 1951. [Syn. not cited].
- *vanderysti* (P. Henn.) Ling in *Lloydia*, 14, p. 104, 1951. (Syn. *Ustilago vanderysti* P. Henn.).
- Sphaerella asphodelina** Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 464, 1948 on *Asphodelus*.—Spain.
- *ciconii* Losa in *Collect. Bot.*, 2, p. 217, 1949 on *Erodium ciconium*.—Spain.
- *lignicola* Munk in *Dansk bot. Ark.*, 12, 11, p. 15, 1948 on wood. —Denmark.
- Sphaerodothis coimbatorensis** Ramakrishnan in *Proc. Indian Acad. Sci.*, Sect. B, 34, p. 161, 1951 on *Calamus rotang*.—India.
- Sphaeropsis abietis-mariesii** Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 116, 1950 on *Abies mariesii*.—Japan.
- *ligniperda* Cherepanov in *J. Bot. U.S.S.R.*, 36, p. 273, 1951 on *Betula pubescens*.—U.S.S.R.
- Sphaerotheca fuliginea** Poll. forma *kok-saghyzi* Cheremisinov in *J. Bot. U.S.S.R.*, 36, p. 75, 1951 on *Taraxacum kok-saghyzi*.—U.S.S.R.
- Sphaerulina coffeicola** Speg. forma *parasitica* C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 43, 1951 on *Gibberella on Coffea canephora*.—Ivory Coast.
- *corynephora* Munk in *Dansk bot. Ark.*, 12, 11, p. 15, 1948 on *Corynephorus canescens*.—Denmark.
- *thujopsidis* Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 143, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- Stagonospora cyani** Cherepanov in *J. Bot. U.S.S.R.*, 36, p. 275, 1951 on *Centaurea cyanus*.—U.S.S.R.
- *mariae* Sprague in *Mycologia*, 43, p. 553, 1951 on *Agrostis oregonensis*.—Washington State, U.S.A.
- *octomera* Bausá Alcalde in *An. Jard. bot. Madrid*, 7, p. 483, 1948 on *Poa nemoralis*.—Spain.
- **sorum** Batista & Silva in *Bol. Agric., Pernambuco*, 17, p. 221, 1951 on *Rosa*.—Brazil.
- *solidaginis* Cherepanov in *J. Bot. U.S.S.R.*, 36, p. 275, 1951 on *Solidago virga-aurea*.—U.S.S.R.
- *thujopsidis* Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 146, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- Stilbospora chamaecyparidis** Sawada in *Rep. For. Exp. Sta.*, Tokyo, 46, p. 123, 1950 on *Chamaecyparis pisifera*.—Japan.
- STROMATOSYPHA** Donk in *Reinwardtia*, 1, p. 218, 1951. (Syn. *Porothelium* (Fr.) Fr., non Eschw.).
- *fimbriata* (Pers. ex Fr.) Donk in *Reinwardtia*, 1, p. 219, 1951. (Syn. *Polyporus fimbriatus* Pers. ex Fr.).
- Teichospora oryzae** Batista & Gayão [as *Tichospora oryzae*] in *Bol. Agric., Pernambuco*, 17, p. 183, 1951 on *Oryza*.—Brazil.
- Testicularia minor** (Juel) Ling in *Lloydia*, 14, p. 109, 1951. (Syn. *T. cyperi* var. *minor* Juel).
- TETRAPOSPORUM** Hughes in *Mycol. Pap.*, C.M.I., 46, p. 25, 1951.—Moniliales. Type, *T. asterinearum*.
- *asterinearum* Hughes in *Mycol. Pap.*, C.M.I., 46, p. 25, 1951 on *Asterina funtuniae*.—Gold Coast.
- *ravenelli* (Cooke) Hughes in *Mycol. Pap.*, C.M.I., 46, p. 28, 1951. (Syn. *Triposporium ravenelli* Cooke).
- Thielavia renominata** Pacth nom. nov. in *Parasitica*, 7, p. 110, 1951. (Syn. *Thielavia basicola* (Berk. & Br.) Zopf, non *Thielaviopsis basicola* Berk. & Br.).
- * **Thielaviopsis neocaledoniae** Dadant in *Rev. gén. Bot.*, 57, p. 176, 1950 on *Coffea robusta*.—New Caledonia.
- Titaespora equiseti** (Desm.) Vassiljevsky, *Fungi Imperfecti Parasitici*, 2, p. 594, 1950. (Syn. *Libertella equiseti* Desm.).
- * **Toeniellopsis susplugasi** Manier in *Ann. Sci. nat., Bot.*, Sér. XI, 11, p. 88, 1951 on *Orchestia mediterranea*.—France.
- Tonduzia fuscata** Batista in *Mycopathologia*, 5, p. 164, 1951 on *Psidium araca*.—Brazil.
- * **Torula bergeri** Langeron in *Ann. Parasit. hum. comp.*, 24, p. 597, 1949 on man. —Canada.
- Trametes acuta** (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.*, 6, p. 73, 1943. (Syn. *Lenzites acuta* Berk.).
- * — **capensis** Lloyd apud Doidge in *Bothalia*, 5, p. 544, 1950 on *Acacia karoo*.—South Africa.
- **meleagris** (Berk.) Imazeki in *Bull. Tokyo Sci. Mus.*, 6, p. 73, 1943. (Syn. *Polyporus meleagris* Berk.).
- **orientalis** (Yas.) Imazeki in *Bull. Tokyo Sci. Mus.*, 6, p. 73, 1943. (Syn. *Polystictus orientalis* Yas.).
- **sanguinea** (L. ex Fr.) Imazeki in *Bull. Tokyo Sci. Mus.*, 6, p. 73, 1943. (Syn. *Polyporus sanguineus* L. ex Fr.).
- Trichoconis padwickii** Ganguly in *J. Indian bot. Soc.*, 26, p. 238, 1948 on *Oryza sativa*.—India.
- Tricholoma carneum** (Bull.) Qué. var. **persicolor** (Fr. ex Lange) Parker-Rhodes in

- Trans. Brit. mycol. Soc.*, **34**, p. 363, 1951. [Syn. not cited].
- Trichomerium abhorrentis** Batista in *Mycopathologia*, **5**, p. 148, 1951 on *Palicourea nicotianifolia*.—Brazil.
- **crotoni** Batista in *Mycopathologia*, **5**, p. 148, 1951 on *Croton*.—Brazil.
- **hirtellum** Batista in *Mycopathologia*, **5**, p. 150, 1951 on *Persea gratissima*.—Brazil.
- **psidii** Batista in *Mycopathologia*, **5**, p. 149, 1951 on *Psidium guayana*.—Brazil.
- Trichoscypha calyciformis** (Willd. ex Velen.) Grelet in *Rev. Mycologie*, N.S., **16**, p. 87, 1951. (Syn. *Dasyscypha calyciformis* (Willd.) Velen.).
- Trichosporium thujopsidis** Sawada in *Rep. For. Exp. Sta.*, Tokyo, **46**, p. 146, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.
- Trichosporon pullulans** (Lindner) Verona & Poli (This *Index*, **2**, p. 9) antedated by *T. pullulans* (Lindner) Diddens & Lodder, 1942 (*ibid.*, **1**, p. 156).
- Tricothyriopsis alineum** Batista in *Mycopathologia*, **5**, p. 168, 1951 on *Lawsonia inermis*.—Brazil.
- Triphragmium ponderosum** (Syd. & Butl.) Venkataraman in *Trans. Brit. mycol. Soc.*, **34**, p. 239, 1951. (Syn. *Hapalophragmium ponderosum* Syd. & Butl.).
- Tripsothecium fructigenum** (Rabenh. ex Sacc. & Trott.) Hughes in *Mycol. Pap.*, C.M.I., **46**, p. 16, 1951. (Syn. *Tripsothecium fructigenum* Rabenh. ex Sacc. & Trott.).
- **juglandis** (Thüm.) Hughes in *Mycol. Pap.*, C.M.I., **46**, p. 15, 1951. (Syn. *Tripsothecium juglandis* Thümen).
- **myrti** (Lind) Hughes in *Mycol. Pap.*, C.M.I., **46**, p. 18, 1951. (Syn. *Tripsothecium myrti* Lind).
- **roupalae** (Syd.) Hughes in *Mycol. Pap.*, C.M.I., **46**, p. 20, 1951. (Syn. *Clasterosporium roupalae* Sydow).
- Tripsothecium cambrense** Hughes in *Mycol. Pap.*, C.M.I., **46**, p. 6, 1951 on *Quercus*.—Wales.
- Tubercinia hederæ** da Camara in *Agron. lusit.*, **12**, p. 94, 1950 on *Hedera helix* subsp. *canariensis*.—Portugal.
- Tylopus ferrugineus** (Frost) Singer subsp. *vinaceogriseus* Snell, Dick, & Hesler in *Mycologia*, **43**, p. 359, 1951.—Tennessee, U.S.A.
- Typhula quisquiliaris** (Fr.) Corner (This *Index*, **2**, p. 30) antedated by *T. quisquiliaris* (Fr.) P. Henn., 1896.
- Tyromyces borealis** (Fr.) Imazeki in *Bull. Tokyo Sci. Mus.*, **6**, p. 84, 1943. (Syn. *Polyporus borealis* Fr.).
- **ostreiformis** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.*, **6**, p. 84, 1943. (Syn. *Polyporus ostreiformis* Lloyd).
- **profissilis** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.*, **6**, p. 84, 1943. (Syn. *Polyporus profissilis* Lloyd).
- **pubescens** (Schum. ex Fr.) Imazeki in *Bull. Tokyo Sci. Mus.*, **6**, p. 84, 1943. (Syn. *Polyporus pubescens* Schum. ex Fr.).
- **sambuceus** (Lloyd) Imazeki in *Bull. Tokyo Sci. Mus.*, **6**, p. 84, 1943. (Syn. *Polyporus sambuceus* Lloyd).
- **spumeus** (Sow. ex Fr.) Imazeki in *Bull. Tokyo Sci. Mus.*, **6**, p. 84, 1943. (Syn. *Polyporus spumeus* Sow. ex Fr.).
- **squalens** (Karst.) Imazeki in *Bull. Tokyo Sci. Mus.*, **6**, p. 84, 1943. (Syn. *Polyporus squalens* Karst.).
- Uncinula sibiliae** Ciccarone in *Mycopathologia*, **5**, p. 211, 1951 on *Stereospermum kunthianum*.—Abyssinia.
- Urocystis alaskana** Zundel in *Mycologia*, **43**, p. 269, 1951 on *Boykinia richardsoni*.—Alaska.
- Uromyces anthyllidis** (Grev.) Schroet. forma *trigonellae* Rayss in *Uredineana*, **3**, p. 193, 1951. (Syn. *U. trigonellae* Pat.).
- **bugranae** Guyot in *Uredineana*, **3**, p. 66, 1951 on *Ononis columnna* and *O. striata*.—France & Switzerland.
- **cenisiae** Guyot in *Uredineana*, **3**, p. 65, 1951 on *Ononis cenisia*.—France.
- **natricis** Guyot in *Uredineana*, **3**, p. 66, 1951 on *Ononis rotundifolia*.—France.
- Ustilago alismatis** Ling in *Lloydia*, **14**, p. 103, 1951 on *Alisma plantago-aquatica*.—Utah, U.S.A.
- **erichloae** Ling in *Lloydia*, **14**, p. 103, 1951 on *Eriochloa punctata*.—Costa Rica.
- **poae-nemoralis** Viennot-Bourgin in *Rev. Path. vég.*, **30**, p. 53, 1951 on *Poa glauca*.—France.
- **polygoni-alpini** (P. Cruchet) Zundel in *Mycologia*, **43**, p. 267, 1951. (Syn. *Sphacelotheca polygoni-alpini* P. Cruchet).
- **sanctae-catharinae** Zundel nom. nov. in *Mycologia*, **43**, p. 268, 1951. (Syn. *Ustilago occulta* P. Henn. non Rabenhorst.).
- Valsa cephalotaxi** Sawada in *Rep. For. Exp. Sta.*, Tokyo, **46**, p. 118, 1950 on *Cephalotaxus nana*.—Japan.
- Vermicularia fructus** (Stevens & Hall) Vassiljevsky, *Fungi Imperfecti Parasitici*, **2**, p. 351, 1950. (Syn. *Volutella fructus* Stev. & Hall).
- **indica** (Dastur) Vassiljevsky, *Fungi Imperfecti Parasitici*, **2**, p. 348, 1950. (Syn. *Colletotrichum indicum* Dastur).
- **lili** (Plakidas) Vassiljevsky *Fungi Imperfecti Parasitici*, **2**, p. 346, 1950. (Syn. *Colletotrichum lili* Plakidas).
- **lysimachiae** (Duke) Vassiljevsky, *Fungi Imperfecti Parasitici*, **2**, p. 350, 1950. (Syn. *Colletotrichum lysimachiae* Duke).
- **mali** (Woronichin) Vassiljevsky, *Fungi Imperfecti Parasitici*, **2**, p. 352, 1950. (Syn. *Colletotrichum mali* Woronichin).
- **omnivora** (Halst.) Vassiljevsky, *Fungi Imperfecti Parasitici*, **2**, p. 343, 1950. (Syn. *Colletotrichum omnivorum* Halst.).
- **smilacinae** (Tehon & Daniels) Vassiljevsky, *Fungi Imperfecti Parasitici*, **2**, p. 347, 1950. (Syn. *Colletotrichum smilacinae* Tehon & Daniels).
- **spinaciae** (Ell. & Halst.) Vassiljevsky, *Fungi Imperfecti Parasitici*, **2**, p. 339, 1950. (Syn. *Colletotrichum spinaciae* Ell. & Halst.).
- **violae** (Sävil. & Sandu) Vassiljevsky, *Fungi Imperfecti Parasitici*, **2**, p. 359, 1950. (Syn. *Colletotrichum violae* Sävil. & Sandu).
- **vitis** (Istvanffy) Vassiljevsky, *Fungi Imperfecti Parasitici*, **2**, p. 359, 1950. (Syn. *Colletotrichum vitis* Istvanffy).
- Verticillium cyclosporium** (Grove) Mason & Hughes apud Hughes in *Mycol. Pap.*, C.M.I., **45**, p. 19, 1951. (Syn. *Stachydidium cyclosporium* Grove).
- **sphaerosporium** Goodey in *Trans. Brit. mycol. Soc.*, **34**, p. 272, 1951 on *Ditylenchus dipsaci*.—Scotland.
- **theobromae** (Turconi) Mason & Hughes

apud Hughes in *Mycol. Pap., C.M.I.*, 45, p. 10, 1951. (Syn. *Stachylidium theobromae* Turconi).

— *thujopsidis* Sawada in *Rep. For. Exp. Sta., Tokyo*, 46, p. 147, 1950 on *Thujopsis dolabrata* var. *hondai*.—Japan.

Vizella bingervilliana C. & M. Moreau in *Rev. Mycologie*, 16, Suppl. Col. No. 1, p. 21, 1951 on *Coffea liberica*.—Ivory Coast.

Winterina clavata Munk in *Dansk bot. Ark.*, 12, 11, p. 11, 1948 on wood.—Denmark.

Xerocomus rubrosquamulosus Snell, Dick,

& Hesler in *Mycologia*, 43, p. 359, 1951.—Tennessee, U.S.A.

Zygosaccharomyces halomembranis Etchells & Bell in *Food Technology*, 4, p. 81, 1950 in cucumber brine.—U.S.A.

Zygosporium geminatum Hughes in *Mycol. Pap., C.M.I.*, 44, p. 5, 1951 on dead *Dracaena*.—Gold Coast.

— *masonii* Hughes in *Mycol. Pap., C.M.I.*, 44, p. 15, 1951 on dead leaves of *Cocos nucifera*.—Gold Coast.

— *minus* Hughes in *Mycol. Pap., C.M.I.*, 44, p. 6, 1951 on *Artocarpus nobilis*.—Gold Coast.

HOST INDEX

For Phanerogams see under families; for Algae, Fungi, Lichenes, and Pteridophyta see under those names; for animal hosts see under Invertebrata and Vertebrata.

ACERACEAE

Acer tataricum

Cylindrosporium platanoidis var. *polymorphum*

AIZOACEAE

Mollugo nudicaulis

Albugo mangenoti

ALGAE

Mougeotia

Micromyces ovalis

Stephanodiscus niagarae

Podochytrium cornutum

ALISMACEAE

Alisma plantago-aquatica

Ustilago alismatis

AMARANTACEAE

Achyranthes aspera

Physalospora achyranthis

ANACARDIACEAE

Antrocaryon micraster

Meliola geniculata var. *antrocaryonis*

Mangifera indica

Ophiomeliola mangiferae

ANNONACEAE

Cleistopholis verschuerenii

Meliola cleistophilidis

Xylopia frutescens

Ceratospormopsis xylopiiae

Naetrocymbe inspersum

APOCYNACEAE

Alstonia congensis

Meliola alstoniicola

Pleiocarpa culicina

Micropeltis pleiocarpae

ARACEAE

Epipremnum mirabile

Puccinia hashiokai

Rhektophyllum mirabile

Eremotheca congensis

ARALIACEAE

Hedera helix ssp. *canariensis*

Tubercinaria hederac

Polyscias guifoylei

Chaetomeris hemisphaerica

Dimeriellopsis araliae

Schefflera aromatica

Meliola boedijnii

ASCLEPIADACEAE

Tylophora oculata

Acidium tylophorae

BETULACEAE

Alnus incana

Marssonina alni

BETULACEAE (continued)

Betula pubescens

Sphaeropsis ligniperda

BIGNONIACEAE

Catalpa (Macrocatalpa) longissima

Septoria macrocatalpae

Stereospermum kunthianum

Uncinula sibiliae

BORAGINACEAE

Myosotis laxa

Plasmopara myosotidis

BUTACEAE

Monniera trifolia

Naetrocymbe perparum

CAMPANULACEAE

Siphocampylus campanulatus

Chaetotrichum pannosum

Wahlenbergia hederacea

Septoria wahlenbergiae

CELASTRACEAE

Gymnosporia

Phyllosticta gymnosporiae

CHENOPODIACEAE

Beta vulgaris

Pleospora betae

Chenopodium album

Diplodia chenopodii

CISTACEAE

Cistus albidus

Septoria cisti

Cistus populifolius

Amphichaeta hispanica

Coryneopsis cisticola

Gloeosporium cistinum

Halimium ocyroides

Phaeosphaerella halymii

COMPOSITAE

Antennaria dioica

Lophiostoma antennariae

Arctium minus

Diplodia arctii

Artemisia camphorata

Puccinia artemisiae-camphoratae

Aster acer

Hendersonia asteris

Calendula arvensis

Septoria calendulae

Centaurea cyanus

Stagonospora cyani

Hieracium umbellatum

Phoma udmurtica

Leontodon tenuiflorus

Puccinia tombeana

COMPOSITAE (continued)

- Liabum*
Chaetotrichum rufidulum
Liabum arsalaguense
Chaetotrichum liabicola
Liabum bipinnatipartitum
Chaetotrichum latisporum
Liabum pallatangense
Chaetotrichum sydownii
Liabum pichinchense
Chaetotrichum pulchrum
Oyedaea verbesinoides
Millerburtonia oyedae
Senecio rufinervis
Coleosporium barclayense
Solidago virga-aurea
Stagonospora solidaginis
Taraxacum kok-saghyzi
Sphaerotheca fuliginea f. *kok-saghyzi*

CONIFERAE

- Abies excelsa*
Hyaloscypha curvipila
Abies firma
Dendrophoma abietis
Abies mariesii
Acidium abietis-mariesii
Dimerium abietis-mariesii
Lizonia abietis-mariesii
Macrophoma mariesii
Montemartinia abietis-mariesii
Sphaeropsis abietis-mariesii
Abies mayriana
Sclerotopsis abietis-mayrianae
Abies nordmanniana
Gibberellulina abietis
Cephalotaxus nana
Amphichaeta cephalotaxi
Guignardia cephalotaxi-nanae
Pestalozzia cephalotaxi
Phomopsis cephalotaxi
Rabenhorstia cephalotaxi
Valsa cephalotaxi
Chamaecyparis obtusa
Cercospora chamaecyparidis
Leptochlamys chamaecyparidis
Pestalozzia chamaecyparidis
Chamaecyparis pisifera
Cytospora chamaecyparidis
Mollisia chamaecyparidis
Psilospora chamaecyparidis
Stilbospora chamaecyparidis
Juniperus chinensis
Halbania juniperi
Juniperus communis
Lophiosphaera juniperi
Juniperus communis subsp. nana
Helminthopeltis almeidaeana
Larix kaempferi
Cryptostictella reynoutriae
Fusarium laricis
Pestalozzia laricicola
Phyllosticta laricis
Physalospora laricis
Pseudodiscosia laricis
Pinus densiflora
Aposphaeria pini-densiflorae
Cenangium pini
Macrophoma pini-densiflorae
Massarinula pini
Septonema pini-densiflorae
Pinus excelsa
Melampsora oblonga
Pinus koraiensis
Peridermium pini-koraiensis

CONIFERAE (continued)

- Pinus leiophylla*
Hypoderma mexicanum
Pinus pinaster
Saccardinula colorata
Pinus pumila
Septoria pini-pumilae
Pinus thunbergii
Calospora pini-thunbergii
Reynoutria japonica var. *typica*
Cryptostictella reynoutriae
Taxus cuspidata
Irenina laxi
Thuja standishii
Lophodermium thujae
Pestalozzia thujae
Thujopsis dolabrata
Lophodermium thujopsidis
Thujopsis dolabrata var. *hondai*
Campoa thujopsidis
Mollisia thujopsidis
Mycosphaerella thujopsidis
Pestalozzia thujopsidis
Phoma pilospora
Phoma thujopsidis
Phragmothyriella thujopsidis
Phyllosticta thujopsidis
Pleuronaema thujopsidis
Sphaerulina thujopsidis
Stagonospora thujopsidis
Trichosporium thujopsidis
Verticillium thujopsidis
Tsuga diversifolia
Acidium tsugae
 CONVULVACEAE
Convolvulus
Macrophoma convolvulacearum
Ipomoea batatas
Fusarium solani f. *batatas*
 CRUCIFERAE
Erysimum cheiranthoides
Phoma bacilligera
Teesdalia nudicaulis
Phoma teesdaliae
 CUCURBITACEAE
Melothria mucronata
Mycosphaerella melothriae
Momordica charantia
Acidium charantiae
 CYPERACEAE
Carex backii
Contractia calderi
Carex baldensis
Leptosphaeria kochiana
Carex maritima
Planetella lironis
 DIPSACACEAE
Cephalaria joppica
Cercospora cephalariae
 ELAEAGNACEAE
Elaeagnus pungens
Rhizoctonia ramicola
 ERICACEAE
Arctostaphylos alpina
Chaetonaevia nannfeldtii
 EUPHORBIACEAE
Acalypha indica
Cercospora acalyphae
Aleurites
Phyllosticta microspora
Aleurites fordii
Aschochyta aleuritidis
Colletotrichum gloeosporioides var. *aleuritidis*

EUPHORBIACEAE (continued)

Aleurites fordii (continued)

Fusarium heterosporum f. *aleuritidis**Glomerella cingulata* var. *aleuritidis**Phyllosticta aleuritidis*

Aleurites montana

Colletotrichum gloeosporioides var. *aleuritidis**Glomerella cingulata* var. *aleuritidis*

Croton

Trichomerium crotoni

Euphorbia hirta

Peronospora favargerii

Euphorbia peplus

Septoria erodii

Mallotus albus

Helotium malloti

Phyllanthus wildemannii

Irenina phyllanthi

FAGACEAE

Fagus

Helicodendron giganteum

Fagus sylvaticus

Phragmocephala minima

Nothofagus solandri

Merulius nothofagi

Quercus

*Helicodendron giganteum**Triposporium cambrense*

Quercus ilex

Epidochium ilicinum

Shiia sieboldi

Helicogloea incrustans

FLACOURTIACEAE

Caloncoba welwitschii

Setella congensis

Homalium lalaense

Meliola homalii

Xymalos

*Asterina xymalodolica**Asterina xymalodis*

FUNGI

Asterina baphiae

Hansfordiella asterinearum

Asterina funtumiae

Tetraposporium asterinearum

Didymella vincetoxici

Leptosphaeria didymellae-vinctoxici

Gibberella

Sphaerulina coffeicola f. *parasitica*

Meliola vilis

Arthrobotryum gorgoneum

Polyporus

Hypomyces novae-zealandiae

Pythium

Sorodiscus cokeri

Sepultaria arenosa

Rhopalomyces elegans forma *minor*

Uredo amomi

Eudartluca indica

GERANIACEAE

Erodium ciconium

Sphaerella ciconii

Erodium malacoides

Septoria erodii

Pelargonium

Botryotinia pelargonii

GRAMINEAE

Agrostis

Pleospora asymmetrica

Agrostis castellana

Pycnidiochaeta biciliata

Agrostis oregonensis

Stagonospora mariae

GRAMINEAE (continued)

Agrostis thurberiana

Puccinia praegracilis var. *praegracilis*

Aristida adscensionis

Sorosporium consanguineum var. *bullatum*

Arrhenatherum elatius

*Dendroseptoria arrhenatheri**Selenophoma arrhenatheri*

Arundinella nepalensis

Sorosporium conelatum

Avena bromoides

*Puccinia avenae**Puccinia bromoides*

Bouteloua gracilis

Cochliobolus gracilis

Brachypodium phoenicoides

Selenophoma brachypodii

Bromus asper

Puccinia symphyti-bromorum f. *tuberosi-asperi*

Bromus ciliatus

Phyllosticta bromivora

Corynephorus canescens

Sphaerulina corynephora

Elyonurus argenteus var. caespitosus

Sphacelotheca elyonuri

Eriochloa punctata

Ustilago eriochloae

Holeus annuus

Puccinia holcicola

Holeus lanatus

Puccinia holcicola

Molinia caerulea

Chondropodium molinae

Muhlenbergia filiformis

*Pleospora rainierensis**Robillarda muhlenbergiae*

Oryza

Teichosporaella oryzae

Oryza sativa

*Curvularia oryzae**Curvularia uncinata**Trichoconis padwickii*

Poa glauca

Ustilago poae-nemoralis

Poa nemoralis

*Metasphaeria luteola**Stagonospora octomera*

Saccharum officinarum

Hansfordia ovalispora

Setaria chevalieri

Hansfordia togoensis

Sporobolus affinis

Cochliobolus sporoboli

Sporobolus ruspolianus

Cochliobolus sporoboli

Themeda gigantea

Sphacelotheca themedicola

GUTTIFERAE

Mammea africana

Meliola mammeicola

Vismia

Leptomeliola puberula

HYDROPHYLLACEAE

Nemophila sepulta

Peronospora nemophilae

INVERTEBRATA

Boetis arebatinus

Paramoebidium pavillardi

Ditylenchus dipsaci

Verticillium sphaerosporum

Leptoiulus belgicus

Enterobryus leptoiuli

INVERTEBRATA (continued)

Nematodes

Dactylaria gracilis

Orchestia mediterranea

Toeniellopsis suspugasi

Procloëon bifidum

Paramoebidium procloëoni

Schizophyllum sabulosum var. rubripes

Enterobryus dubosqui

Scutigera coleopterata

Asellaria scutigerae

JUNCACEAE

Juncus maritimus

Puccinia rimosa forma natrassi

LABIATAE

Dracocephalum parviflorum

Peronospora davisi

Teucrium polium

Puccinia circumacta

LAURACEAE

Ocotea

*Microthyriella inaequalis**Phragmothyriella dignota**Phragmothyriella exserta*

Persea gratissima

Trichomerium hirtellum

Umbellularia californica

Kabatiella phoradendri f. umbellulariae

LEGUMINOSAE

Acacia karoo

Trametes capensis

Acacia laeta

Ravenelia canussioi

Adenanthera microsperma

Meliola ingae var. *adenantherae*

Aeschynomene indica

Physoderma aeschynomenis

Baphia racemosa

Meliola baphiae-nitidae

Cassia siamea

Meliola javanica

Cercis canadensis

Plasmopara cercidis

Cytisus pendulinus var. eriocarpus

Camarosporium sarothamni

Dalhousiea

Clypeolella dalhousieae

Indigofera pulchella

Cercospora pulchella

Lonchocarpus

Meliola bicornis var. *lonchocarpi*

Lonchocarpus cyanescens

Meliola carvalhoi

Milletia chrysophylla

Meliola milletiae-chrysophyllae

Ononis cenisia

Uromyces cenisiae

Ononis columna

Uromyces bugraeae

Ononis rotundifolia

Uromyces natricis

Ononis striata

Uromyces bugraeae

Phaca alpina

Leptosphaeria phacae

Piptadenia communis

Phellinus piptadeniae

Pterospartum tridentatum

Dothiorella genistae

Pterygopodium

Asterina pterygopodii

Ulex minor

Didymosphaeria epidermidis var. *ulicis*

LICHENES

Parmelia perforata

Phyllosticta galligena

LILIACEAE

Asphodelus

Sphaerella asphodelina

Dracaena

Zygosporium geminatum

Lilium candidum

Didymellina intermedia

Narthecium ossifragum

Cercospora narthecii

Polygonatum officinale

Phyllosticta polygonati-officinalis

Tofieldia calyculata

*Leptosphaeria submodesta**Leptosphaeria tofieldiae*

LORANTHACEAE

Loranthus

Phleospora olettiae

LYTHRACEAE

Lafoensia glyptocarpa

Naetrocymbe lafoensiae

Lawsonia inermis

Tricothyriopsis alineum

MAGNOLIACEAE

Magnolia grandiflora

Campanella floridana

MALVACEAE

Hibiscus surattensis

Aecidium hibisci-surattensis

MELASTOMACEAE

Clidemia hirta

*Chaetopotius commistum**Naetrocymbe depressum*

MELIACEAE

Azadirachta indica

Diplorhynchotrichum africanum

MENISPERMACEAE

Stephania abyssinica

Phyllachora gondarensis

Tinospora cordifolia

Ramularia tinosporae

MORACEAE

Artocarpus nobilis

Zygosporium minus

Ficus elastica

Phakopsora fici-elasticae

MYRICACEAE

Myrica

Dictyopeltis myricae

MYRISTICACEAE

Coelocaryon kleinei

Asterina coelocaryi

MYRTACEAE

Psidium araca

Tonduzia fuscata

Psidium guayava

Trichomerium psidii

Syzigium guineense

*Micronectria syzigii**Scolecospodium syzigii**Septoria syzigii*

NYCTAGINACEAE

Bougainvillea glabra

Naetrocymbe inspersum

OLACACEAE

Fraxinus

Ceriospora caudae-suis

Jasminum abyssinicum

Meliola oleicola var. *jasmini*

LACACEAE (continued)

- Octoknema borealis*
Meliola octoknematis
Oxax mannii
Meliola olacis
Phillyrea angustifolia
Phoma ascochytoidea

ORCHIDACEAE

- Habenaria gracilis*
Puccinia praegracilis var. *praegracilis*

XALIDACEAE

- Averrhoa carambola*
Beltrania africana

PALMAE

- Calamus rotang*
Sphaerodochis coimbatonica
Cocos nucifera
Zygosporium masonii
Cyrtostachys rendlei
Helicosporium hendrickxii
Mauritia vinifera
Naetrocymbe mauritiae
Setella coracina

PANDACEAE

- Panda oleosa*
Asterina pandae
Asterina pandicola

PROTEACEAE

- Protea abyssinica*
Septoria proteae

PTERIDOPHYTA

- Adiantum*
Naetrocymbe inspersum
Pteridium aquilinum
Rhabdospora pteridii

RANUNCULACEAE

- Clematis vitalba*
Asteromelopsis insculpta

RHAMNACEAE

- Berchemia yemensis*
Masseella ciferrii
Rhamnus frangula
Microdiplodia ovoidea

ROSACEAE

- Moquilea tomentosa*
Asterina solanicoloides var. *atypica*
Photinia notoniana
Pseudophacidium photiniae
Pyrus communis subsp. *pyraster*
Coryneum pirinum

ROSA

- Stagonospora rosarum*
Rosa cinnamomea
Pseudomassaria jaczewskii
Spiraea hypericifolia
Cylindrosporium basiplanum

RUBIACEAE

- Coffea canephora*
Eutypa microspora
Eutypella coffeicola
Eutypella perplexans
Leptosphaeria coffeigena var. *longirostrata*
Ostropella verruculosa
Peroneutypa multistromata
Coffea liberica
Auerswaldia excoriata
Balladyna parva
Entosordaria jacobii-felcis
Eutypella coffeicola
Gnomoniella quadriguttulata
Massaria immersa
Myiocopron ramicola
Vizella bingerwilliana

RUBIACEAE (continued)

- Coffea robusta*
Thielaviopsis neocaledoniae
Gardenia
Microdiplodia gardeniae
Palicourea nicotianifolia
Trichomerium abhorrentis
RUTACEAE
Toddalia asiatica
Gymnopuccinia pulneyensis

SALICACEAE

- Populus nigra*
Pestalotia populi-nigrae
Populus spp.
Septogloeum populiperdum

SAMYDACEAE

- Homalium angustifolium*
Irenina homalii-angustifolii

SAPINDACEAE

- Cupania*
Ceratospermopsis cupaniae

SAPOTACEAE

- Achras sapota*
Dictyopeltis applanata
Phaeopeltis sapotae

SAXIFRAGACEAE

- Boykinia richardsoni*
Urocystis alaskana
Ribes grossularia
Ceratopodium rilstonii

SCROPHULARIACEAE

- Mimulus guttatus*
Peronospora jacksoni
Paulownia tomentosa
Physalospora paulowniae
Scoparia dulcis
Cercospora scopariae

SOLANACEAE

- Capsicum frutescens*
Limacina capsici
Solanum robustum
Naetrocymbe robustum

STERCULIACEAE

- Buettneria*
Irenopsis buettneriicola

TILIACEAE

- Grewia asiatica*
Ramularia grewiae
Grewia ferruginea
Gnomonia grewiae

UMBELLIFERAE

- Apium graveolens*
Cephalosporium apii
Daucus carota
Phomopsis dauci
Seseli spp.
Puccinia seseleos

URTICACEAE

- Boehmeria caudata*
Favolaschia echinata

VERBENACEAE

- Clerodendron infortunatum*
Aschochyta infortunata
Vitex
Meliola viticola

VERTEBRATA

- Homo sapiens*
Cephalosporium falciforme
Pityrosporum orbiculare
Torula bergeri

VITACEAE

*Cissus productus**Meliola cissi-producti**Vitis vinifera**Botryodiplodia vitis**Pythium debaryanum* var. *viticola*

ZYGOPHYLLACEAE

*Balanites aegyptiaca**Meliola balanitis**Phoma balanitis**Septoria balanitis*

The Editor again gratefully acknowledges the assistance of Dr. J. A. Stevenson and Miss Edith Cash for supplying details of certain citations.